District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total **Unintentional Injuries/Violence**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	16.9 (15.5-18.4)	18.7 (17.3-20.2)	21.7 (19.8-23.8)	29.2 (25.4-33.2)	Yes
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	5.5 (4.2-7.3)	4.3 (3.2-5.6)	5.5 (3.9-7.7)	14.9 (10.6-20.6)	Yes
QN12: Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	10.5 (9.4-11.8)	13.9 (12.7-15.3)	18.9 (17.0-20.9)	23.0 (19.5-27.0)	Yes
QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	3.6 (2.9-4.4)	4.4 (3.7-5.2)	5.7 (4.6-7.0)	6.3 (4.5-8.8)	Yes
QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	7.0 (6.1-8.2)	8.1 (7.1-9.2)	10.3 (8.9-11.8)	19.8 (16.5-23.5)	Yes
QN16: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	7.5 (6.6-8.7)	7.5 (6.6-8.6)	9.9 (8.6-11.5)	19.6 (16.3-23.3)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total **Unintentional Injuries/Violence**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	18.5 (17.0-20.1)	26.8 (25.2-28.5)	34.8 (32.4-37.2)	43.5 (39.0-48.1)	Yes
QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	8.7 (7.6-10.0)	12.5 (11.3-13.7)	16.2 (14.5-18.2)	20.7 (17.2-24.7)	Yes
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	11.0 (9.9-12.3)	9.3 (8.3-10.4)	9.8 (8.5-11.3)	16.9 (13.8-20.7)	Yes
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)	13.9 (12.6-15.3)	11.7 (10.6-12.9)	14.2 (12.6-16.0)	23.3 (19.7-27.3)	Yes
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	4.9 (3.9-6.2)	5.1 (4.2-6.1)	5.8 (4.6-7.3)	12.4 (9.2-16.5)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	8.8 (7.4-10.4)	8.1 (7.0-9.5)	9.2 (7.6-11.0)	19.9 (16.0-24.4)	Yes
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	13.7 (12.4-15.1)	11.3 (10.2-12.5)	11.5 (10.0-13.1)	15.1 (12.2-18.5)	No
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	11.9 (10.7-13.2)	8.9 (7.9-10.0)	9.6 (8.3-11.1)	14.4 (11.5-17.8)	Yes
QN25: Percentage of students who felt sad or hopeless (almost every day for $>=2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	29.2 (27.5-31.0)	33.4 (31.8-35.2)	35.6 (33.3-38.0)	44.2 (39.8-48.7)	Yes
QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)	17.7 (16.3-19.2)	18.4 (17.1-19.9)	20.3 (18.4-22.3)	31.1 (27.1-35.5)	Yes
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	18.4 (16.9-19.9)	16.6 (15.3-17.9)	17.3 (15.5-19.2)	28.4 (24.6-32.6)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN28: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	11.4 (10.1-12.9)	12.8 (11.6-14.2)	16.6 (14.6-18.8)	31.2 (26.8-35.9)	Yes
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	4.6 (3.7-5.6)	4.6 (3.8-5.5)	5.8 (4.6-7.3)	12.7 (9.7-16.5)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total	
Tobacco	Use

Tobacco Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	7.7 (6.7-8.9)	7.6 (6.7-8.7)	12.2 (10.6-13.9)	17.7 (14.5-21.3)	Yes
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	5.1 (4.3-6.1)	3.6 (3.0-4.3)	5.3 (4.4-6.5)	11.6 (9.1-14.7)	Yes
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.5 (0.3-0.9)	0.2 (0.1-0.5)	0.6 (0.3-1.1)	2.3 (1.3-4.1)	Yes
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.4 (0.2-0.7)	0.2 (0.1-0.4)	0.5 (0.3-1.1)	1.3 (0.6-2.7)	Yes
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)	12.9 (11.7-14.2)	11.7 (10.6-12.9)	12.8 (11.3-14.5)	23.8 (20.3-27.6)	Yes
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	1.3 (0.9-1.7)	1.0 (0.8-1.4)	1.3 (0.9-1.9)	5.3 (3.7-7.5)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Tobacco Use					
		f students who er ype of grades mo			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	0.8 (0.5-1.2)	0.5 (0.3-0.8)	0.9 (0.6-1.5)	2.6 (1.6-4.2)	Yes
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	5.3 (4.4-6.3)	3.8 (3.1-4.6)	5.3 (4.3-6.5)	15.2 (12.4-18.6)	Yes
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	6.5 (5.6-7.5)	4.6 (3.9-5.4)	6.4 (5.3-7.7)	17.3 (14.3-20.9)	Yes
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	8.9 (7.9-10.1)	6.2 (5.4-7.1)	8.7 (7.4-10.1)	20.5 (17.2-24.2)	Yes
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	10.0 (8.9-11.2)	7.6 (6.7-8.6)	9.7 (8.4-11.3)	23.7 (20.2-27.5)	Yes
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	16.8 (15.4-18.3)	14.9 (13.6-16.1)	16.4 (14.7-18.3)	31.4 (27.5-35.5)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

al pacco Use Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school					
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	14.5 (13.3-15.9)	12.9 (11.8-14.1)	14.8 (13.1-16.5)	26.9 (23.2-30.9)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI⁺	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	14.5 (13.1-15.9)	15.6 (14.3-17.0)	21.7 (19.7-23.9)	24.1 (20.5-28.2)	Yes
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	20.3 (18.8-21.8)	19.8 (18.4-21.3)	20.2 (18.3-22.3)	27.3 (23.4-31.5)	Yes
QN42: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)	9.3 (8.3-10.4)	7.6 (6.8-8.6)	7.4 (6.2-8.8)	14.6 (11.7-18.0)	Yes
QN46: Percentage of students who tried marijuana for the first time before age 13 years	7.9 (6.9-9.0)	9.7 (8.6-10.9)	14.0 (12.3-15.9)	23.3 (19.7-27.2)	Yes
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	23.1 (21.5-24.7)	27.8 (26.2-29.5)	33.2 (30.9-35.5)	47.9 (43.5-52.4)	Yes
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	16.9 (15.5-18.4)	18.2 (16.9-19.7)	22.1 (20.2-24.2)	34.7 (30.6-39.0)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	5.7 (4.8-6.7)	3.9 (3.2-4.6)	5.5 (4.5-6.8)	16.1 (13.2-19.6)	Yes
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	9.7 (8.6-10.9)	9.7 (8.6-10.8)	10.7 (9.2-12.3)	19.8 (16.5-23.5)	Yes
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	4.9 (4.1-5.8)	3.2 (2.6-4.0)	4.1 (3.2-5.2)	15.8 (12.9-19.3)	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	4.9 (4.1-5.9)	3.6 (3.0-4.4)	4.3 (3.4-5.4)	14.9 (12.1-18.3)	Yes
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	5.2 (4.3-6.1)	3.9 (3.3-4.7)	5.2 (4.2-6.4)	14.0 (11.2-17.4)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Sexual Behaviors					
			ngaged in each ri stly earned in scl		
	A's	B's	C's	D's/F's	- Significant Association*
Health Risk Behavior	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who ever had sexual intercourse	32.3 (30.3-34.2)	44.1 (42.2-46.0)	51.6 (48.9-54.3)	58.8 (53.7-63.7)	Yes
QN59: Percentage of students who had sexual intercourse for the first time before age 13 years	4.6 (3.7-5.6)	6.1 (5.2-7.2)	11.0 (9.4-12.9)	12.1 (9.2-15.8)	Yes
QN60: Percentage of students who had sexual intercourse with four or more persons during their life	7.0 (6.0-8.2)	11.7 (10.5-13.0)	15.6 (13.7-17.7)	21.7 (17.8-26.2)	Yes
QN61: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	24.2 (22.5-26.1)	30.2 (28.5-32.0)	36.1 (33.5-38.7)	43.4 (38.4-48.5)	Yes
QN62: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	14.7 (11.9-17.9)	13.5 (11.3-16.0)	16.5 (13.4-20.2)	28.2 (21.8-35.7)	Yes
QN63: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	54.2 (49.8-58.5)	57.8 (54.1-61.3)	59.5 (54.9-63.9)	51.7 (43.7-59.7)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total	
Sexual Behaviors	

Sexual Deliaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN64: Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	10.9 (8.6-13.6)	9.9 (7.9-12.2)	10.7 (8.3-13.8)	8.7 (5.2-14.1)	No
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	10.1 (7.9-12.8)	7.3 (5.6-9.5)	5.0 (3.4-7.1)	8.6 (5.2-13.9)	No
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	28.8 (25.1-32.8)	23.5 (20.6-26.7)	24.2 (20.6-28.3)	27.5 (21.1-34.9)	No
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	9.1 (6.9-11.7)	7.4 (5.7-9.7)	8.5 (6.3-11.4)	4.9 (2.4-9.6)	No
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)	20.3 (16.9-24.3)	19.4 (16.6-22.6)	21.0 (17.5-25.0)	19.4 (14.0-26.4)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school					
	A's	B's	C's	D's/F's	Significant Association*	
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI		
QN85: Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)	27.7 (26.0-29.5)	26.6 (25.0-28.2)	29.0 (26.8-31.3)	31.3 (27.3-35.7)	No	

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
Health Risk Behavior	A's % 95% CI [†]	B's % 95% CI	C's % 95% CI	D's/F's % 95% CI	Significant Association*
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	12.9 (11.6-14.4)	16.6 (15.2-18.1)	21.2 (19.1-23.5)	25.8 (21.8-30.2)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	15.6 (14.1-17.1)	17.4 (16.0-18.9)	18.8 (16.8-21.0)	16.5 (13.2-20.3)	No
QN67: Percentage of students who described themselves as slightly or very overweight	23.5 (21.9-25.2)	27.5 (26.0-29.2)	29.1 (27.0-31.4)	33.4 (29.4-37.7)	Yes
QN68: Percentage of students who were trying to lose weight	44.2 (42.3-46.1)	43.3 (41.5-45.1)	44.5 (42.1-46.9)	44.4 (40.1-48.9)	No
QN70: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	16.1 (14.7-17.6)	13.4 (12.2-14.7)	16.5 (14.7-18.4)	21.6 (18.2-25.4)	Yes
QN71: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	42.2 (40.3-44.1)	45.0 (43.2-46.8)	50.2 (47.7-52.6)	52.4 (48.1-56.7)	Yes

[§] Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
Health Risk Behavior	A's % 95% CI [†]	B's % 95% CI	C's % 95% CI	D's/F's % 95% CI	- Significant Association*
QN75: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	40.3 (38.5-42.2)	28.2 (26.6-29.8)	24.5 (22.5-26.7)	20.8 (17.5-24.5)	Yes
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	8.7 (7.6-9.8)	15.3 (14.0-16.6)	17.9 (16.1-19.9)	24.7 (21.2-28.7)	Yes
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	5.3 (4.5-6.2)	10.0 (8.9-11.2)	13.0 (11.4-14.8)	17.6 (14.5-21.2)	Yes
QN77: Percentage of students who did not eat breakfast (during the 7 days before the survey)	19.2 (17.7-20.8)	15.7 (14.4-17.0)	19.4 (17.5-21.4)	27.5 (23.7-31.6)	Yes
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	31.3 (29.6-33.1)	25.0 (23.5-26.6)	19.8 (17.9-21.9)	17.0 (14.0-20.5)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Physical Activity

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN78: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	30.6 (28.9-32.3)	29.7 (28.1-31.4)	24.4 (22.3-26.6)	19.9 (16.7-23.7)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	28.3 (26.6-30.1)	25.8 (24.3-27.4)	27.9 (25.8-30.2)	33.6 (29.6-37.8)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	14.9 (13.6-16.3)	15.3 (14.0-16.7)	13.6 (12.0-15.5)	12.8 (10.1-16.0)	No
QN79: Percentage of students who watched television 3 or more hours per day (on an average school day)	18.7 (17.2-20.3)	25.1 (23.5-26.8)	29.5 (27.2-31.8)	29.0 (25.2-33.2)	Yes
QN80: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)	33.4 (31.6-35.2)	42.4 (40.6-44.2)	46.6 (44.1-49.0)	47.3 (43.0-51.7)	Yes
QN82: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)	53.4 (51.5-55.3)	53.7 (51.9-55.5)	46.9 (44.5-49.4)	39.2 (34.9-43.6)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Physical Activity	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN83: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	14.1 (12.8-15.5)	13.9 (12.6-15.2)	15.9 (14.2-17.8)	25.0 (21.4-29.0)	Yes
QN88: Percentage of students who got 8 or more hours of sleep (on an average school night)	21.6 (20.1-23.2)	21.8 (20.4-23.4)	18.2 (16.4-20.2)	16.2 (13.2-19.8)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Other	Percentage of ty				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]		% 95% CI	% 95% CI	
QN84: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)	29.2 (27.5-31.0)	30.4 (28.7-32.1)	33.7 (31.4-36.1)	36.0 (31.8-40.4)	Yes
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	79.2 (77.6-80.8)	77.9 (76.4-79.4)	70.3 (68.0-72.5)	64.0 (59.7-68.1)	Yes
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	1.8 (1.3-2.5)	1.2 (0.9-1.7)	2.6 (1.9-3.5)	4.1 (2.7-6.2)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†]Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN90: Percentage of students who who live in District of Columbia wards 1 through 4	33.9 (32.3-35.7)	24.4 (22.9-25.9)	20.5 (18.6-22.4)	22.3 (19.0-26.0)	Yes
QN91: Percentage of students who who live in District of Columbia wards 5 through 8	46.6 (44.7-48.5)	50.3 (48.5-52.2)	50.0 (47.5-52.5)	48.5 (44.0-53.0)	No
QN92: Percentage of students who think other people at school would describe them as equally feminine and masculine	11.7 (10.5-13.0)	13.7 (12.5-15.0)	14.5 (12.8-16.3)	17.9 (14.8-21.6)	Yes
QN93: Percentage of students who are transgender	2.0 (1.5-2.6)	1.4 (1.0-1.9)	1.6 (1.1-2.3)	4.1 (2.7-6.4)	Yes
QN94: Percentage of students who rarely or never wore a helmet when they rode a bicycle or used rollerblades or a skateboard (among students who rode a bicycle or used rollerblades or a skateboard during the 12 months before the survey)	68.1 (65.8-70.4)	81.0 (79.0-82.8)	89.2 (87.0-91.1)	85.4 (80.7-89.0)	Yes
QN95: Percentage of students who have been afraid of being beaten up at school one or more times (during the 12 months before the survey)	8.2 (7.2-9.4)	7.6 (6.7-8.7)	8.9 (7.6-10.3)	17.4 (14.4-20.9)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN96: Percentage of students who reported that their property had been stolen or deliberately damaged on school property one or more times (such as their car, clothing, or books, during the 12 months before the survey)	16.3 (15.0-17.8)	16.0 (14.7-17.3)	16.7 (14.9-18.6)	25.0 (21.4-28.9)	Yes
QN97: Percentage of students who have been harassed on school property one or more times because someone thought they were gay, lesbian, bisexual, or transgender (during the 12 months before the survey)	9.8 (8.7-11.0)	8.4 (7.4-9.5)	8.8 (7.5-10.3)	20.0 (16.7-23.7)	Yes
QN98: Percentage of students who have been a member of a gang or crew (during the 12 months before the survey)	11.5 (10.2-12.8)	11.3 (10.2-12.5)	14.4 (12.7-16.2)	19.9 (16.5-23.8)	Yes
QN99: Percentage of students who have seen or heard people where they live be violent and abusive (including serious hitting, shouting, throwing items, yelling, or name calling, but not 'play fighting,' during the 12 months before the survey)	33.1 (31.3-35.0)	35.0 (33.3-36.8)	39.4 (37.0-41.8)	44.2 (39.8-48.7)	Yes
QN100: Percentage of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (such things as being told who they could and could not spend time with, being humiliated in front of others, or being threatened if they did not do what they wanted, during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	19.1 (17.2-21.1)	19.1 (17.4-20.9)	19.6 (17.4-21.9)	30.6 (26.1-35.6)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who reported someone did sexual things to them that they did not want to do one or more times (by pressuring them, lying to them, making promises about the future, threatening to end their relationship, or threatening to spread rumors about them, during the 12 months before the survey)	11.7 (10.5-13.0)	13.4 (12.2-14.7)	14.4 (12.8-16.2)	23.6 (20.1-27.5)	Yes
QN102: Percentage of students who bullied someone on school property (during the 12 months before the survey)	10.0 (8.9-11.2)	7.7 (6.8-8.8)	9.6 (8.3-11.2)	14.8 (12.0-18.2)	Yes
QN103: Percentage of students who currently used illegal drugs (one or more times during the 30 days before the survey)	12.7 (11.5-14.0)	11.4 (10.3-12.6)	12.2 (10.7-13.8)	24.8 (21.2-28.7)	Yes
QN104: Percentage of students who reported their partners were three or more years older than themselves the last time they had sexual intercourse (among students who have had sexual intercourse)	10.6 (8.7-12.9)	9.0 (7.6-10.7)	9.6 (7.8-11.8)	10.8 (7.8-14.8)	No
QN105: Percentage of students who have had oral sex with one or more people during their life	33.4 (31.7-35.3)	38.4 (36.6-40.2)	41.2 (38.8-43.6)	48.7 (44.4-53.1)	Yes
QN106: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	3.6 (2.9-4.5)	4.8 (4.1-5.7)	6.7 (5.5-8.0)	11.1 (8.6-14.3)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Site-Added					
	0		ngaged in each ri stly earned in scl	· •	_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who exercised to lose weight or to keep from gaining weight (during the 30 days before the survey)	53.4 (51.5-55.3)	52.5 (50.6-54.3)	50.0 (47.5-52.5)	45.0 (40.6-49.6)	Yes
QN108: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight (also called fasting, during the 30 days before the survey)	14.8 (13.5-16.3)	13.8 (12.6-15.1)	15.1 (13.4-16.9)	22.9 (19.3-27.0)	Yes
QN109: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight (during the 30 days before the survey)	10.8 (9.6-12.2)	5.2 (4.4-6.1)	6.1 (5.0-7.4)	11.1 (8.6-14.4)	Yes
QN110: Percentage of students who ate at a fast food chain or carry out restaurant (at least one day during the 7 days before the survey)	73.2 (71.4-74.8)	80.6 (79.1-81.9)	81.2 (79.2-83.0)	82.3 (78.7-85.4)	Yes
QN111: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	3.1 (2.5-3.8)	4.1 (3.4-4.9)	4.8 (3.9-5.9)	11.7 (9.2-14.8)	Yes
QN112: Percentage of students who reported that some of their classroom teachers provide short physical activity breaks during regular class time (not counting their physical education teacher)	21.6 (20.0-23.3)	18.5 (17.1-19.9)	19.4 (17.5-21.5)	21.2 (17.6-25.4)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†]Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Site-Added	Percentage of				
	ty 	vpe of grades mo B's	stly earned in scl	hool D's/F's	- Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN113: Percentage of students who have been taught about AIDS or HIV infection in school	72.9 (71.2-74.6)	70.7 (69.1-72.4)	71.5 (69.2-73.6)	68.7 (64.5-72.7)	No
QN114: Percentage of students who strongly agree or agree that they feel close to people at their school	71.1 (69.3-72.8)	67.5 (65.8-69.2)	61.2 (58.8-63.6)	54.0 (49.6-58.4)	Yes
QN115: Percentage of students who reported that there is at least one teacher or other adult in that school that they can talk to if they have a problem	75.2 (73.5-76.8)	71.5 (69.8-73.1)	69.0 (66.7-71.2)	65.4 (61.0-69.5)	Yes
QN116: Percentage of students who have been removed from class for at least one day for disciplinary reasons (counting time spent in in-school suspension, out-of-school suspension, and expulsion, one or more times during the 12 months before the survey)	17.6 (16.2-19.2)	28.6 (26.9-30.2)	38.8 (36.4-41.2)	46.5 (42.1-50.9)	Yes
QN117: Percentage of students who did not usually sleep in their parent's or guardian's home (during the 30 days before the survey)	7.8 (6.8-9.0)	6.4 (5.6-7.4)	8.4 (7.1-9.9)	21.0 (17.7-24.8)	Yes
QN118: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)	13.4 (12.1-14.8)	6.6 (5.8-7.6)	9.1 (7.8-10.6)	19.7 (16.3-23.6)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Total Site-Added					
	0		ngaged in each ri stly earned in scl	, .	_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN119: Percentage of students who have ever been given money, a place to stay, food, or something else of value in exchange for sex	11.0 (9.8-12.3)	3.7 (3.1-4.5)	4.8 (3.9-6.0)	10.6 (8.0-13.9)	Yes
QN120: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	29.1 (27.0-31.3)	24.8 (23.0-26.8)	20.1 (17.8-22.7)	23.9 (19.7-28.7)	Yes
QN121: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	27.6 (25.5-29.8)	25.3 (23.3-27.3)	22.1 (19.7-24.8)	21.6 (17.4-26.5)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†]Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male **Unintentional Injuries/Violence**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	16.4 (14.3-18.8)	17.4 (15.5-19.5)	21.4 (18.8-24.4)	27.7 (22.6-33.5)	Yes
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	5.7 (3.8-8.5)	4.1 (2.8-5.9)	6.2 (4.2-9.2)	18.8 (12.4-27.6)	Yes
QN12: Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	15.6 (13.4-18.0)	17.6 (15.6-19.8)	24.2 (21.4-27.3)	27.5 (22.3-33.5)	Yes
QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	4.9 (3.6-6.5)	5.2 (4.1-6.5)	6.0 (4.5-7.9)	8.8 (5.8-13.0)	No
QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	8.1 (6.5-10.1)	9.0 (7.5-10.7)	9.5 (7.7-11.6)	19.2 (14.8-24.5)	Yes
QN16: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	9.7 (8.0-11.8)	9.7 (8.2-11.5)	10.4 (8.5-12.7)	20.8 (16.2-26.3)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male **Unintentional Injuries/Violence**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	22.2 (19.7-25.0)	26.2 (23.9-28.7)	34.4 (31.2-37.8)	42.8 (36.4-49.4)	Yes
QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	9.6 (7.8-11.7)	11.2 (9.5-13.0)	15.8 (13.4-18.5)	21.4 (16.6-27.2)	Yes
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	11.5 (9.6-13.7)	7.8 (6.4-9.4)	6.1 (4.7-7.9)	13.8 (9.9-18.9)	Yes
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)	13.7 (11.7-16.0)	9.7 (8.2-11.3)	11.4 (9.4-13.7)	21.7 (16.9-27.4)	Yes
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	4.7 (3.2-6.9)	4.2 (3.0-5.8)	3.2 (2.1-4.9)	15.2 (10.3-22.0)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	8.9 (6.7-11.6)	7.1 (5.5-9.0)	8.2 (6.3-10.7)	19.0 (13.8-25.6)	Yes
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	15.3 (13.2-17.7)	10.9 (9.3-12.8)	8.0 (6.4-10.0)	12.1 (8.6-16.9)	Yes
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	13.8 (11.8-16.1)	7.9 (6.5-9.5)	6.9 (5.3-8.8)	13.5 (9.8-18.4)	Yes
QN25: Percentage of students who felt sad or hopeless (almost every day for $>=2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	22.3 (19.9-25.0)	23.9 (21.6-26.2)	24.9 (22.1-28.0)	37.2 (31.2-43.5)	Yes
QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)	14.9 (12.8-17.3)	13.3 (11.6-15.3)	12.2 (10.1-14.6)	27.7 (22.4-33.7)	Yes
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	16.5 (14.3-19.0)	12.5 (10.8-14.4)	12.4 (10.3-14.8)	22.9 (18.1-28.6)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN28: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	12.4 (10.2-14.9)	10.2 (8.5-12.1)	12.9 (10.4-15.8)	28.4 (22.7-35.0)	Yes
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	5.3 (3.9-7.2)	3.7 (2.7-5.0)	5.8 (4.2-8.0)	11.1 (7.4-16.3)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male	
Tobacco	Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	10.5 (8.7-12.6)	8.1 (6.7-9.7)	13.2 (11.0-15.7)	19.9 (15.4-25.3)	Yes
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	6.8 (5.4-8.6)	3.9 (3.0-5.1)	6.2 (4.7-8.0)	12.7 (9.2-17.4)	Yes
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.8 (0.4-1.6)	0.1 (0.0-0.4)	0.8 (0.4-1.6)	3.3 (1.6-6.7)	Yes
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.6 (0.3-1.3)	0.0	0.7 (0.3-1.6)	1.7 (0.7-4.3)	Yes
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)	15.6 (13.5-17.9)	12.5 (10.9-14.3)	13.9 (11.8-16.4)	25.7 (20.7-31.4)	Yes
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	1.4 (0.9-2.2)	1.0 (0.6-1.5)	1.8 (1.1-2.8)	5.6 (3.4-9.1)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Tobacco Use					
		f students who er ype of grades mo			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	1.1 (0.6-1.8)	0.5 (0.3-0.9)	1.3 (0.7-2.3)	3.0 (1.5-5.8)	Yes
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	7.9 (6.4-9.8)	4.8 (3.7-6.2)	5.5 (4.2-7.2)	16.8 (12.7-21.9)	Yes
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	9.7 (8.0-11.7)	5.9 (4.8-7.3)	7.4 (5.9-9.4)	21.1 (16.5-26.6)	Yes
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	12.8 (10.8-15.1)	7.4 (6.1-8.9)	9.7 (7.9-11.8)	23.3 (18.5-28.9)	Yes
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	14.2 (12.2-16.6)	8.9 (7.5-10.6)	10.5 (8.6-12.7)	26.2 (21.2-32.0)	Yes
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	21.3 (18.9-23.9)	16.0 (14.2-18.0)	17.2 (14.8-19.8)	33.3 (27.8-39.3)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Tobacco Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school					
	A's	B's	C's	D's/F's	Significant Association*	
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI		
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	17.9 (15.7-20.4)	13.7 (12.0-15.6)	15.8 (13.5-18.4)	29.1 (23.8-34.9)	Yes	

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Alcohol/Other Drug Use

	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	16.8 (14.5-19.3)	15.4 (13.5-17.5)	21.7 (18.9-24.8)	24.3 (19.5-30.0)	Yes
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	18.6 (16.4-21.1)	15.6 (13.8-17.6)	15.8 (13.4-18.4)	23.1 (18.2-28.8)	Yes
QN42: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)	9.7 (8.2-11.6)	6.8 (5.6-8.2)	6.7 (5.2-8.6)	11.6 (8.2-16.1)	No
QN46: Percentage of students who tried marijuana for the first time before age 13 years	10.2 (8.4-12.4)	10.9 (9.2-12.7)	15.6 (13.2-18.4)	26.0 (20.8-32.0)	Yes
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	22.0 (19.5-24.6)	23.3 (21.2-25.7)	33.0 (29.9-36.3)	47.9 (41.8-54.2)	Yes
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	16.5 (14.3-18.9)	16.8 (14.9-18.9)	20.9 (18.3-23.9)	33.8 (28.2-39.9)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Alcohol/Other Drug Use

Alcohol o'der Drug ose	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	8.3 (6.7-10.2)	4.8 (3.8-6.1)	6.7 (5.2-8.5)	17.2 (13.0-22.4)	Yes
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	10.3 (8.5-12.3)	9.3 (7.8-10.9)	9.8 (7.9-12.0)	21.0 (16.5-26.5)	Yes
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	7.0 (5.5-8.8)	4.5 (3.4-5.8)	4.8 (3.6-6.5)	17.2 (13.0-22.4)	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	7.6 (6.1-9.5)	5.2 (4.1-6.6)	4.9 (3.6-6.6)	14.9 (11.0-19.9)	Yes
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	7.6 (6.1-9.4)	5.9 (4.7-7.3)	6.4 (4.9-8.2)	15.6 (11.6-20.6)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Sexual Behaviors					
			ngaged in each ri stly earned in scl		_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who ever had sexual intercourse	38.1 (34.8-41.6)	49.4 (46.5-52.3)	61.3 (57.6-64.9)	65.3 (58.0-71.9)	Yes
QN59: Percentage of students who had sexual intercourse for the first time before age 13 years	8.8 (6.9-11.1)	11.4 (9.6-13.5)	18.5 (15.7-21.7)	18.6 (13.6-24.9)	Yes
QN60: Percentage of students who had sexual intercourse with four or more persons during their life	11.8 (9.7-14.3)	19.1 (16.9-21.6)	23.6 (20.5-26.9)	27.7 (21.6-34.8)	Yes
QN61: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	26.8 (23.8-30.0)	33.6 (30.9-36.4)	40.6 (36.9-44.3)	45.9 (38.8-53.3)	Yes
QN62: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	14.3 (10.4-19.3)	12.1 (9.2-15.7)	16.0 (12.0-21.1)	27.0 (18.4-37.7)	Yes
QN63: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	66.7 (59.7-73.0)	66.1 (60.9-70.9)	69.6 (63.8-74.9)	59.4 (48.0-69.8)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male	
Sexual Behaviors	

Sexual benaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN64: Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	9.9 (6.6-14.5)	9.6 (7.0-13.1)	8.5 (5.8-12.2)	12.8 (7.1-21.9)	No
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	6.4 (4.0-10.1)	5.0 (3.1-8.1)	1.9 (0.9-3.8)	5.7 (2.4-13.0)	No
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	18.5 (14.0-24.2)	18.1 (14.4-22.5)	15.4 (11.7-20.0)	24.8 (16.6-35.4)	No
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	7.1 (4.4-11.2)	5.1 (3.2-8.1)	6.6 (4.2-10.2)	3.2 (1.0-9.5)	No
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)	16.1 (11.3-22.4)	17.2 (13.5-21.7)	19.5 (15.0-24.9)	16.2 (9.7-25.9)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN85: Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)	32.6 (29.8-35.6)	23.7 (21.5-26.1)	29.2 (26.1-32.4)	28.2 (22.8-34.3)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	- Significant Association*
Health Risk Behavior	% 95% CI†	% 95% CI	95% CI	95% CI	
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	13.4 (11.2-15.8)	15.0 (13.1-17.2)	21.9 (19.0-25.1)	23.4 (18.3-29.4)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	13.5 (11.4-15.8)	15.6 (13.6-17.7)	16.7 (14.1-19.6)	15.8 (11.5-21.3)	No
QN67: Percentage of students who described themselves as slightly or very overweight	17.1 (14.9-19.5)	21.3 (19.2-23.5)	23.9 (21.1-26.9)	31.6 (26.1-37.5)	Yes
QN68: Percentage of students who were trying to lose weight	35.0 (32.1-38.0)	33.2 (30.8-35.8)	36.3 (33.1-39.7)	36.7 (30.9-43.0)	No
QN70: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	20.3 (17.9-23.0)	13.2 (11.5-15.2)	14.8 (12.5-17.5)	20.5 (16.0-26.0)	Yes
QN71: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	42.1 (39.1-45.2)	44.1 (41.5-46.8)	48.8 (45.4-52.2)	52.9 (46.8-59.0)	Yes

[†]Confidence interval.

[§] Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN75: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	39.7 (36.7-42.8)	25.7 (23.4-28.1)	24.4 (21.6-27.4)	18.3 (14.0-23.6)	Yes
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	9.2 (7.6-11.1)	16.0 (14.1-18.1)	21.3 (18.6-24.3)	27.8 (22.5-33.7)	Yes
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	5.3 (4.1-6.8)	10.3 (8.7-12.1)	14.3 (12.0-17.0)	18.4 (14.1-23.7)	Yes
QN77: Percentage of students who did not eat breakfast (during the 7 days before the survey)	23.3 (20.7-26.0)	14.1 (12.4-16.1)	17.8 (15.4-20.6)	30.3 (24.9-36.3)	Yes
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	33.9 (31.2-36.8)	30.6 (28.3-33.1)	22.7 (19.9-25.8)	17.9 (13.6-23.1)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Physical Activity

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN78: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	34.9 (32.1-37.9)	38.4 (35.8-41.0)	31.0 (27.9-34.3)	25.4 (20.4-31.2)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	28.5 (25.8-31.4)	19.0 (17.0-21.2)	22.7 (20.0-25.6)	28.5 (23.2-34.4)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	19.3 (17.0-21.8)	20.2 (18.1-22.4)	17.2 (14.8-20.0)	15.7 (11.7-20.9)	No
QN79: Percentage of students who watched television 3 or more hours per day (on an average school day)	16.6 (14.3-19.2)	23.1 (20.9-25.5)	29.3 (26.3-32.6)	29.8 (24.4-35.7)	Yes
QN80: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)	31.5 (28.7-34.4)	43.6 (40.9-46.3)	48.3 (44.9-51.8)	47.8 (41.7-54.0)	Yes
QN82: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)	58.4 (55.3-61.4)	61.1 (58.5-63.7)	52.6 (49.1-56.0)	41.8 (35.7-48.1)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Physical Activity	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN83: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	18.7 (16.3-21.2)	16.9 (14.9-19.0)	19.7 (17.1-22.6)	28.5 (23.1-34.4)	Yes
QN88: Percentage of students who got 8 or more hours of sleep (on an average school night)	22.6 (20.2-25.3)	22.8 (20.6-25.1)	18.0 (15.5-20.8)	14.2 (10.3-19.4)	Yes

District of Columbia (Including Charter Schools) High School Survey

le ner Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school						
	A's	B's	C's	D's/F's	Significant Association*	
Health Risk Behavior	% 95% CI [†]		% 95% CI	% 95% CI		
QN84: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)	33.4 (30.5-36.4)	30.0 (27.6-32.6)	33.8 (30.7-37.1)	35.7 (29.7-42.1)	No	
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	77.1 (74.3-79.6)	76.4 (74.0-78.6)	68.3 (65.0-71.4)	64.7 (58.5-70.4)	Yes	
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	2.5 (1.6-3.7)	1.6 (1.1-2.4)	3.0 (2.1-4.5)	4.4 (2.5-7.5)	Yes	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN90: Percentage of students who who live in District of Columbia wards 1 through 4	35.4 (32.6-38.2)	25.0 (22.9-27.3)	20.4 (17.9-23.2)	28.1 (23.0-33.9)	Yes
QN91: Percentage of students who who live in District of Columbia wards 5 through 8	46.1 (43.0-49.2)	48.8 (46.1-51.6)	47.7 (44.3-51.2)	47.6 (41.2-54.1)	No
QN92: Percentage of students who think other people at school would describe them as equally feminine and masculine	9.3 (7.6-11.2)	10.3 (8.8-12.1)	10.9 (8.9-13.3)	15.7 (11.6-20.9)	No
QN93: Percentage of students who are transgender	2.5 (1.6-3.7)	1.8 (1.3-2.7)	1.6 (0.9-2.7)	5.0 (2.8-8.7)	Yes
QN94: Percentage of students who rarely or never wore a helmet when they rode a bicycle or used rollerblades or a skateboard (among students who rode a bicycle or used rollerblades or a skateboard during the 12 months before the survey)	70.8 (67.4-73.9)	81.1 (78.5-83.4)	89.3 (86.4-91.6)	83.5 (77.0-88.4)	Yes
QN95: Percentage of students who have been afraid of being beaten up at school one or more times (during the 12 months before the survey)	9.6 (8.0-11.6)	8.8 (7.4-10.4)	8.6 (6.9-10.7)	17.1 (13.0-22.0)	Yes

District of Columbia (Including Charter Schools) High School Survey

Male Site-Added	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN96: Percentage of students who reported that their property had been stolen or deliberately damaged on school property one or more times (such as their car, clothing, or books, during the 12 months before the survey)	17.6 (15.4-20.0)	16.3 (14.5-18.4)	14.7 (12.4-17.4)	23.9 (19.1-29.5)	Yes
QN97: Percentage of students who have been harassed on school property one or more times because someone thought they were gay, lesbian, bisexual, or transgender (during the 12 months before the survey)	12.3 (10.4-14.5)	11.1 (9.5-12.9)	8.1 (6.4-10.1)	20.5 (16.0-25.8)	Yes
QN98: Percentage of students who have been a member of a gang or crew (during the 12 months before the survey)	15.4 (13.2-17.8)	13.7 (11.9-15.7)	16.7 (14.3-19.5)	23.8 (18.7-29.8)	Yes
QN99: Percentage of students who have seen or heard people where they live be violent and abusive (including serious hitting, shouting, throwing items, yelling, or name calling, but not 'play fighting,' during the 12 months before the survey)	30.8 (28.0-33.8)	32.9 (30.4-35.5)	35.3 (32.1-38.7)	42.1 (35.9-48.5)	Yes
QN100: Percentage of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (such things as being told who they could and could not spend time with, being humiliated in front of others, or being threatened if they did not do what they wanted, during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	16.1 (13.4-19.3)	14.4 (12.3-16.8)	16.5 (13.7-19.6)	22.7 (17.2-29.3)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Male Site-Added					
		f students who en ype of grades mo			_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who reported someone did sexual things to them that they did not want to do one or more times (by pressuring them, lying to them, making promises about the future, threatening to end their relationship, or threatening to spread rumors about them, during the 12 months before the survey)	12.1 (10.2-14.4)	12.4 (10.7-14.3)	12.5 (10.4-14.9)	23.5 (18.7-29.1)	Yes
QN102: Percentage of students who bullied someone on school property (during the 12 months before the survey)	11.8 (10.0-14.0)	8.4 (7.1-10.1)	9.4 (7.6-11.5)	10.9 (7.6-15.4)	No
QN103: Percentage of students who currently used illegal drugs (one or more times during the 30 days before the survey)	15.1 (13.1-17.4)	12.0 (10.4-13.8)	12.2 (10.2-14.6)	26.1 (21.1-31.8)	Yes
QN104: Percentage of students who reported their partners were three or more years older than themselves the last time they had sexual intercourse (among students who have had sexual intercourse)	8.5 (6.0-11.9)	6.2 (4.6-8.3)	8.1 (6.0-10.8)	7.1 (4.1-12.1)	No
QN105: Percentage of students who have had oral sex with one or more people during their life	37.3 (34.3-40.3)	42.5 (39.9-45.2)	46.8 (43.4-50.2)	52.4 (46.3-58.5)	Yes
QN106: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	3.9 (2.9-5.3)	5.3 (4.2-6.7)	6.5 (5.0-8.5)	10.7 (7.3-15.5)	Yes

District of Columbia (Including Charter Schools) High School Survey

Male Site-Added	Percentage o				
	A's	ype of grades mo B's	C's	D's/F's	- Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who exercised to lose weight or to keep from gaining weight (during the 30 days before the survey)	54.0 (50.9-57.0)	57.5 (54.8-60.1)	53.9 (50.4-57.3)	45.8 (39.5-52.2)	Yes
QN108: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight (also called fasting, during the 30 days before the survey)	16.3 (14.1-18.8)	11.1 (9.5-13.0)	11.6 (9.6-14.0)	22.4 (17.4-28.3)	Yes
QN109: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight (during the 30 days before the survey)	14.1 (12.0-16.6)	4.8 (3.7-6.1)	5.9 (4.4-7.8)	10.8 (7.3-15.6)	Yes
QN110: Percentage of students who ate at a fast food chain or carry out restaurant (at least one day during the 7 days before the survey)	67.6 (64.7-70.4)	78.9 (76.7-81.0)	76.7 (73.8-79.5)	81.1 (75.7-85.5)	Yes
QN111: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	3.3 (2.3-4.5)	4.5 (3.5-5.8)	4.1 (2.9-5.6)	15.6 (11.5-20.7)	Yes
QN112: Percentage of students who reported that some of their classroom teachers provide short physical activity breaks during regular class time (not counting their physical education teacher)	27.0 (24.2-29.9)	20.9 (18.7-23.2)	21.7 (19.0-24.7)	23.5 (18.3-29.6)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†]Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

lale ite-Added Percentage of students who engaged in each risk behavior, by						
	ty 	ype of grades mo B's	stly earned in scl	nool D's/F's	- Significant	
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	Association*	
QN113: Percentage of students who have been taught about AIDS or HIV infection in school	72.9 (70.1-75.6)	70.6 (68.0-73.0)	71.5 (68.3-74.5)	69.2 (63.2-74.7)	No	
QN114: Percentage of students who strongly agree or agree that they feel close to people at their school	76.5 (73.8-79.0)	69.8 (67.3-72.2)	67.7 (64.4-70.8)	58.9 (52.7-64.9)	Yes	
QN115: Percentage of students who reported that there is at least one teacher or other adult in that school that they can talk to if they have a problem	75.9 (73.2-78.5)	70.2 (67.7-72.6)	69.4 (66.2-72.5)	61.4 (55.1-67.4)	Yes	
QN116: Percentage of students who have been removed from class for at least one day for disciplinary reasons (counting time spent in in-school suspension, out-of-school suspension, and expulsion, one or more times during the 12 months before the survey)	19.2 (16.8-21.8)	30.6 (28.1-33.1)	42.3 (39.0-45.7)	44.3 (38.3-50.6)	Yes	
QN117: Percentage of students who did not usually sleep in their parent's or guardian's home (during the 30 days before the survey)	11.4 (9.5-13.6)	7.7 (6.3-9.3)	9.4 (7.6-11.7)	24.8 (19.8-30.5)	Yes	
QN118: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)	20.6 (18.1-23.4)	6.8 (5.6-8.4)	8.9 (7.1-11.0)	22.1 (17.3-27.9)	Yes	

District of Columbia (Including Charter Schools) High School Survey

Male Site-Added	Percentage o	f students who e	ngaged in each ri	sk behavior bv	
	0		stly earned in scl	, .	_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN119: Percentage of students who have ever been given money, a place to stay, food, or something else of value in exchange for sex	18.9 (16.5-21.6)	4.7 (3.7-6.1)	6.3 (4.8-8.2)	12.8 (9.0-18.0)	Yes
QN120: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	26.8 (23.1-30.8)	24.0 (21.1-27.2)	19.8 (16.4-23.8)	26.9 (20.3-34.6)	No
QN121: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	32.3 (28.2-36.6)	28.8 (25.6-32.2)	25.9 (22.0-30.1)	26.4 (19.7-34.4)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female **Unintentional Injuries/Violence**

	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	16.7 (14.9-18.6)	19.5 (17.6-21.6)	22.0 (19.2-25.1)	29.8 (24.3-35.9)	Yes
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	4.4 (2.9-6.7)	3.8 (2.4-6.0)	4.1 (2.1-7.9)	8.3 (4.3-15.4)	No
QN12: Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	6.4 (5.2-7.8)	10.4 (9.0-12.0)	12.8 (10.5-15.4)	16.2 (11.8-21.7)	Yes
QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	2.4 (1.7-3.3)	3.5 (2.7-4.6)	5.3 (3.9-7.2)	3.4 (1.7-6.7)	Yes
QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	5.7 (4.6-7.0)	6.9 (5.8-8.2)	11.0 (9.0-13.5)	18.6 (14.1-24.1)	Yes
QN16: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	5.3 (4.3-6.6)	5.0 (4.0-6.2)	9.2 (7.3-11.5)	15.8 (11.7-21.2)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	15.5 (13.7-17.5)	27.2 (24.9-29.5)	35.4 (32.0-39.0)	43.3 (36.9-49.9)	Yes
QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	7.9 (6.6-9.4)	13.5 (11.8-15.4)	16.9 (14.3-19.8)	20.0 (15.2-25.9)	Yes
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	10.5 (9.1-12.2)	10.5 (9.1-12.2)	14.0 (11.7-16.6)	19.3 (14.7-25.1)	Yes
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)	13.8 (12.1-15.6)	13.3 (11.7-15.1)	17.4 (14.9-20.2)	23.1 (18.1-29.0)	Yes
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	4.9 (3.6-6.6)	5.7 (4.4-7.2)	8.8 (6.7-11.6)	8.8 (5.4-14.0)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	7.8 (6.2-9.9)	8.9 (7.2-10.8)	10.1 (7.7-13.1)	19.8 (14.4-26.4)	Yes
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	12.0 (10.5-13.7)	11.6 (10.1-13.3)	15.5 (13.1-18.1)	17.5 (13.3-22.8)	Yes
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	10.1 (8.7-11.7)	9.7 (8.3-11.3)	12.9 (10.7-15.4)	14.7 (10.7-19.8)	Yes
QN25: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	33.7 (31.4-36.1)	42.0 (39.5-44.4)	48.1 (44.6-51.7)	50.4 (44.0-56.8)	Yes
QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)	19.3 (17.4-21.3)	22.9 (20.9-25.0)	29.4 (26.2-32.7)	34.7 (28.8-41.0)	Yes
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	19.0 (17.2-21.1)	20.0 (18.1-22.0)	22.9 (20.1-26.1)	32.7 (27.0-39.0)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN28: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	10.2 (8.7-12.0)	14.9 (13.1-16.9)	20.4 (17.4-23.8)	31.7 (25.4-38.8)	Yes
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	3.6 (2.7-4.8)	5.3 (4.2-6.6)	5.9 (4.3-8.0)	14.8 (10.3-20.9)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female	
Tobacco	Use

Tobacco Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	5.4 (4.3-6.7)	7.1 (5.9-8.5)	10.8 (8.7-13.2)	14.7 (10.7-19.7)	Yes
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	3.4 (2.6-4.4)	3.1 (2.4-4.0)	4.2 (3.1-5.8)	9.0 (5.9-13.3)	Yes
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.2 (0.1-0.7)	0.3 (0.1-0.9)	0.4 (0.1-1.2)	0.9 (0.3-2.6)	No
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.1 (0.0-0.5)	0.3 (0.1-0.8)	0.4 (0.1-1.2)	0.5 (0.1-2.0)	No
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)	10.6 (9.3-12.1)	10.7 (9.3-12.2)	11.5 (9.5-14.0)	19.6 (15.1-25.0)	Yes
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	1.1 (0.8-1.7)	1.0 (0.6-1.5)	0.7 (0.4-1.4)	4.9 (2.8-8.2)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Tobacco Use					
		f students who er ype of grades mo			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	0.5 (0.3-1.0)	0.5 (0.3-0.9)	0.6 (0.3-1.2)	2.2 (1.1-4.7)	No
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	2.9 (2.1-3.9)	2.7 (2.0-3.6)	4.7 (3.4-6.5)	11.5 (7.9-16.4)	Yes
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	3.7 (2.9-4.9)	3.1 (2.4-4.1)	5.2 (3.9-7.1)	11.3 (7.7-16.2)	Yes
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	5.5 (4.5-6.8)	4.6 (3.7-5.7)	7.3 (5.7-9.3)	15.2 (11.1-20.5)	Yes
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	6.3 (5.2-7.6)	5.8 (4.8-7.1)	8.5 (6.7-10.7)	18.5 (14.0-24.0)	Yes
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	13.1 (11.6-14.8)	13.3 (11.8-15.1)	15.2 (12.9-17.9)	26.4 (21.2-32.4)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Tobacco Use	Percentage of ty				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	11.6 (10.2-13.2)	11.8 (10.4-13.5)	13.4 (11.1-15.9)	22.2 (17.3-27.9)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female

Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	12.6 (11.0-14.4)	15.5 (13.8-17.4)	21.6 (18.7-24.7)	23.4 (18.3-29.5)	Yes
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	21.1 (19.2-23.1)	23.5 (21.5-25.7)	25.1 (22.1-28.3)	30.9 (25.0-37.4)	Yes
QN42: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)	8.7 (7.5-10.1)	8.2 (7.0-9.6)	7.9 (6.2-10.1)	16.1 (11.8-21.5)	Yes
QN46: Percentage of students who tried marijuana for the first time before age 13 years	6.0 (4.9-7.4)	8.4 (7.1-10.0)	11.9 (9.8-14.5)	18.8 (14.3-24.2)	Yes
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	23.7 (21.7-25.9)	31.8 (29.5-34.2)	33.4 (30.1-36.8)	47.0 (40.7-53.4)	Yes
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	16.9 (15.1-18.8)	19.2 (17.3-21.2)	23.3 (20.5-26.5)	33.6 (27.9-39.8)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Alcohol/Other Drug Use

Arconovourer Drug Ose	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	- Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	3.2 (2.4-4.3)	2.6 (2.0-3.5)	3.9 (2.7-5.6)	13.0 (9.2-18.0)	Yes
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	8.7 (7.4-10.3)	9.6 (8.3-11.2)	11.5 (9.4-13.9)	17.0 (12.7-22.4)	Yes
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	2.8 (2.1-3.9)	1.7 (1.2-2.5)	2.9 (1.8-4.5)	13.0 (9.2-18.0)	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	2.6 (1.8-3.5)	2.0 (1.4-2.8)	3.3 (2.2-5.0)	13.0 (9.2-18.1)	Yes
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	2.9 (2.2-3.9)	1.9 (1.4-2.7)	3.6 (2.5-5.2)	11.0 (7.5-15.8)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Sexual Behaviors	Porcontago o	f students who er	ugagad in aach ri	sk hohovior by	
		pe of grades mo			
	A's	B's	C's	D's/F's	- Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who ever had sexual intercourse	28.8 (26.5-31.2)	39.5 (37.0-42.1)	40.8 (37.1-44.6)	52.5 (45.4-59.6)	Yes
QN59: Percentage of students who had sexual intercourse for the first time before age 13 years	2.0 (1.4-2.9)	1.5 (1.0-2.3)	2.3 (1.4-3.7)	4.9 (2.7-8.8)	No
QN60: Percentage of students who had sexual intercourse with four or more persons during their life	4.0 (3.1-5.2)	5.3 (4.3-6.6)	6.7 (5.0-8.8)	15.2 (10.8-20.8)	Yes
QN61: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	22.6 (20.5-24.9)	27.3 (25.0-29.6)	30.7 (27.3-34.3)	40.4 (33.7-47.5)	Yes
QN62: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	15.1 (11.5-19.6)	14.8 (11.7-18.7)	16.3 (11.9-22.0)	29.1 (20.2-39.9)	Yes
QN63: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	45.7 (40.1-51.4)	49.5 (44.4-54.7)	45.1 (38.3-52.1)	42.8 (31.9-54.3)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Sexual Behaviors

Sexual benaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN64: Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	11.6 (8.7-15.3)	10.2 (7.5-13.6)	14.3 (10.1-19.9)	3.3 (1.1-9.9)	Yes
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	12.4 (9.2-16.4)	9.8 (7.1-13.3)	9.2 (5.9-14.0)	12.1 (6.6-21.4)	No
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	35.6 (30.4-41.1)	29.3 (24.9-34.2)	36.9 (30.4-43.9)	30.2 (21.0-41.3)	No
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	10.3 (7.4-14.1)	9.9 (7.1-13.5)	11.3 (7.5-16.7)	6.9 (2.9-15.6)	No
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)	23.3 (18.7-28.7)	21.3 (17.3-25.9)	23.8 (18.4-30.2)	23.7 (15.3-34.8)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Sexual Behaviors	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN85: Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)	24.2 (22.1-26.4)	29.2 (27.0-31.5)	28.7 (25.5-32.1)	35.2 (29.3-41.7)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Dietary Behaviors	Percentage o ty				
	A's	B's	C's	D's/F's	- Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	12.6 (10.9-14.5)	18.0 (16.0-20.2)	20.4 (17.4-23.8)	28.5 (22.6-35.3)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	17.1 (15.2-19.1)	19.2 (17.2-21.3)	21.4 (18.4-24.7)	17.2 (12.7-22.8)	No
QN67: Percentage of students who described themselves as slightly or very overweight	27.9 (25.8-30.2)	33.5 (31.2-35.9)	35.4 (32.1-38.9)	36.0 (30.1-42.3)	Yes
QN68: Percentage of students who were trying to lose weight	50.8 (48.3-53.3)	52.4 (49.9-54.9)	54.0 (50.5-57.6)	53.3 (46.8-59.6)	No
QN70: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	12.8 (11.2-14.6)	13.3 (11.6-15.1)	18.2 (15.5-21.1)	22.4 (17.5-28.2)	Yes
QN71: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	42.3 (39.9-44.8)	46.0 (43.5-48.5)	52.0 (48.4-55.5)	52.8 (46.5-59.0)	No

[†]Confidence interval.

[§] Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
Health Risk Behavior	A's % 95% CI [†]	B's % 95% CI	C's % 95% CI	D's/F's % 95% CI	Significant Association*
QN75: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	40.7 (38.3-43.1)	30.4 (28.2-32.7)	24.7 (21.7-27.8)	24.5 (19.6-30.2)	Yes
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	8.1 (6.8-9.6)	14.5 (12.8-16.4)	14.1 (11.7-16.8)	21.2 (16.5-26.8)	Yes
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	5.1 (4.1-6.4)	9.8 (8.4-11.5)	11.6 (9.5-14.1)	16.8 (12.6-22.1)	Yes
QN77: Percentage of students who did not eat breakfast (during the 7 days before the survey)	16.1 (14.3-18.0)	17.0 (15.2-19.0)	21.1 (18.3-24.2)	24.8 (19.7-30.7)	Yes
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	29.9 (27.7-32.1)	19.9 (18.0-22.0)	16.4 (14.0-19.3)	16.5 (12.4-21.6)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Physical Activity

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN78: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	27.7 (25.6-29.9)	21.7 (19.8-23.8)	17.0 (14.5-19.8)	14.4 (10.5-19.4)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	28.2 (26.0-30.5)	32.0 (29.7-34.4)	33.4 (30.2-36.9)	39.0 (33.1-45.3)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	11.9 (10.4-13.6)	10.8 (9.4-12.5)	9.7 (7.7-12.0)	9.5 (6.4-14.0)	No
QN79: Percentage of students who watched television 3 or more hours per day (on an average school day)	20.3 (18.3-22.4)	27.2 (25.0-29.5)	29.8 (26.6-33.2)	28.1 (22.8-34.2)	Yes
QN80: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)	34.9 (32.6-37.3)	41.5 (39.0-43.9)	44.8 (41.2-48.3)	46.8 (40.5-53.2)	Yes
QN82: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)	50.3 (47.8-52.7)	46.8 (44.3-49.2)	40.4 (37.0-44.0)	35.8 (29.9-42.0)	Yes

District of Columbia (Including Charter Schools) High School Survey

Female Physical Activity	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN83: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	10.8 (9.3-12.5)	10.8 (9.3-12.5)	11.5 (9.4-13.9)	19.6 (15.0-25.3)	Yes
QN88: Percentage of students who got 8 or more hours of sleep (on an average school night)	21.0 (19.1-23.1)	20.9 (18.9-23.0)	18.3 (15.7-21.2)	17.9 (13.6-23.2)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†]Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Female Other	Percentage o				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% CI [†] 95% CI	% 95% CI	% 95% CI	
QN84: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)	26.1 (24.0-28.4)	30.7 (28.4-33.0)	33.4 (30.1-36.9)	37.0 (31.1-43.4)	Yes
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	81.1 (79.0-83.0)	79.4 (77.3-81.4)	72.6 (69.2-75.6)	64.3 (58.0-70.1)	Yes
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	1.2 (0.7-1.9)	0.9 (0.5-1.5)	2.1 (1.3-3.4)	3.5 (1.8-6.7)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†]Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Site-Added	Percentage of students who engaged in each risk behavior, by					
	ty		stly earned in scl	nool	- Significant	
	A's	B's	C's	D's/F's	Association*	
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI		
QN90: Percentage of students who who live in District of Columbia wards 1 through 4	32.5 (30.3-34.7)	23.6 (21.6-25.6)	20.4 (17.7-23.3)	15.2 (11.5-20.0)	Yes	
QN91: Percentage of students who who live in District of Columbia wards 5 through 8	47.1 (44.6-49.5)	51.6 (49.1-54.1)	52.1 (48.4-55.7)	49.1 (42.7-55.6)	No	
QN92: Percentage of students who think other people at school would describe them as equally feminine and masculine	13.4 (11.8-15.2)	16.6 (14.9-18.6)	18.3 (15.7-21.2)	19.8 (15.2-25.4)	Yes	
QN93: Percentage of students who are transgender	1.2 (0.8-1.8)	1.0 (0.6-1.6)	1.3 (0.7-2.4)	2.4 (1.0-5.8)	No	
QN94: Percentage of students who rarely or never wore a helmet when they rode a bicycle or used rollerblades or a skateboard (among students who rode a bicycle or used rollerblades or a skateboard during the 12 months before the survey)	65.4 (62.0-68.6)	81.3 (78.3-84.0)	89.9 (86.2-92.7)	89.9 (82.4-94.5)	Yes	
QN95: Percentage of students who have been afraid of being beaten up at school one or more times (during the 12 months before the survey)	6.5 (5.4-7.9)	6.3 (5.2-7.6)	9.1 (7.3-11.3)	16.3 (12.2-21.4)	Yes	

District of Columbia (Including Charter Schools) High School Survey

Female Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN96: Percentage of students who reported that their property had been stolen or deliberately damaged on school property one or more times (such as their car, clothing, or books, during the 12 months before the survey)	14.7 (13.0-16.5)	15.3 (13.6-17.2)	19.0 (16.3-21.9)	22.9 (18.0-28.6)	Yes
QN97: Percentage of students who have been harassed on school property one or more times because someone thought they were gay, lesbian, bisexual, or transgender (during the 12 months before the survey)	7.3 (6.1-8.7)	5.6 (4.6-6.8)	9.3 (7.4-11.6)	16.5 (12.2-21.8)	Yes
QN98: Percentage of students who have been a member of a gang or crew (during the 12 months before the survey)	8.4 (7.1-10.0)	9.0 (7.7-10.6)	11.5 (9.3-14.0)	15.3 (11.1-20.6)	Yes
QN99: Percentage of students who have seen or heard people where they live be violent and abusive (including serious hitting, shouting, throwing items, yelling, or name calling, but not 'play fighting,' during the 12 months before the survey)	34.4 (32.1-36.8)	36.8 (34.4-39.2)	44.1 (40.6-47.7)	45.4 (39.1-51.8)	Yes
QN100: Percentage of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (such things as being told who they could and could not spend time with, being humiliated in front of others, or being threatened if they did not do what they wanted, during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	20.4 (17.9-23.1)	23.0 (20.5-25.6)	23.0 (19.7-26.7)	36.6 (29.8-43.9)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†]Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Site-Added					
		f students who er ype of grades mo			_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who reported someone did sexual things to them that they did not want to do one or more times (by pressuring them, lying to them, making promises about the future, threatening to end their relationship, or threatening to spread rumors about them, during the 12 months before the survey)	11.0 (9.6-12.7)	14.1 (12.4-15.9)	16.5 (14.0-19.2)	23.1 (18.2-28.8)	Yes
QN102: Percentage of students who bullied someone on school property (during the 12 months before the survey)	8.5 (7.2-10.1)	7.0 (5.8-8.4)	9.9 (8.0-12.2)	17.6 (13.3-23.0)	Yes
QN103: Percentage of students who currently used illegal drugs (one or more times during the 30 days before the survey)	10.4 (9.0-11.9)	10.5 (9.1-12.0)	12.0 (9.9-14.5)	22.1 (17.3-27.7)	Yes
QN104: Percentage of students who reported their partners were three or more years older than themselves the last time they had sexual intercourse (among students who have had sexual intercourse)	12.4 (9.6-15.8)	12.3 (10.0-15.2)	12.0 (8.8-16.1)	16.1 (10.8-23.4)	No
QN105: Percentage of students who have had oral sex with one or more people during their life	30.4 (28.2-32.7)	34.3 (32.0-36.7)	34.5 (31.2-37.9)	44.7 (38.6-51.1)	Yes
QN106: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	3.2 (2.3-4.3)	4.3 (3.4-5.5)	6.6 (5.0-8.6)	10.4 (7.1-15.1)	Yes

District of Columbia (Including Charter Schools) High School Survey

Female Site-Added					
		f students who en ype of grades mo			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who exercised to lose weight or to keep from gaining weight (during the 30 days before the survey)	52.8 (50.4-55.3)	47.8 (45.3-50.3)	45.6 (42.1-49.2)	44.2 (37.9-50.7)	Yes
QN108: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight (also called fasting, during the 30 days before the survey)	13.5 (11.8-15.3)	16.0 (14.3-17.9)	19.0 (16.3-22.0)	23.7 (18.7-29.5)	Yes
QN109: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight (during the 30 days before the survey)	8.4 (7.1-9.9)	5.4 (4.4-6.6)	6.4 (4.8-8.4)	10.2 (6.9-14.8)	Yes
QN110: Percentage of students who ate at a fast food chain or carry out restaurant (at least one day during the 7 days before the survey)	77.4 (75.4-79.4)	82.1 (80.1-83.9)	86.6 (83.9-88.9)	83.0 (77.8-87.2)	Yes
QN111: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	2.9 (2.1-3.9)	3.7 (2.9-4.7)	5.3 (3.9-7.1)	6.9 (4.4-10.7)	Yes
QN112: Percentage of students who reported that some of their classroom teachers provide short physical activity breaks during regular class time (not counting their physical education teacher)	17.9 (16.0-19.9)	16.4 (14.6-18.3)	17.0 (14.5-19.9)	19.0 (14.3-24.9)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†]Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Site-Added	Percentage o	f students who er	ngaged in each ri	sk behavior, by	
	8	ype of grades mo	88		- Significant
	A's	B's	C's	D's/F's	Association*
Health Risk Behavior	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN113: Percentage of students who have been taught about AIDS or HIV infection in school	73.4 (71.2-75.5)	71.0 (68.6-73.2)	71.6 (68.3-74.7)	68.5 (62.3-74.1)	No
QN114: Percentage of students who strongly agree or agree that they feel close to people at their school	67.7 (65.3-70.0)	65.7 (63.3-68.0)	53.8 (50.2-57.3)	48.4 (42.1-54.7)	Yes
QN115: Percentage of students who reported that there is at least one teacher or other adult in that school that they can talk to if they have a problem	75.1 (72.9-77.2)	72.8 (70.6-74.9)	68.6 (65.2-71.8)	70.7 (64.6-76.1)	Yes
QN116: Percentage of students who have been removed from class for at least one day for disciplinary reasons (counting time spent in in-school suspension, out-of-school suspension, and expulsion, one or more times during the 12 months before the survey)	16.3 (14.5-18.3)	26.5 (24.4-28.8)	35.0 (31.7-38.5)	46.8 (40.5-53.1)	Yes
QN117: Percentage of students who did not usually sleep in their parent's or guardian's home (during the 30 days before the survey)	4.8 (3.8-6.1)	4.8 (3.8-6.0)	6.7 (5.1-8.7)	16.2 (12.0-21.5)	Yes
QN118: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)	8.1 (6.8-9.6)	6.2 (5.1-7.6)	9.2 (7.3-11.4)	17.1 (12.6-22.9)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Female Site-Added		Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school			
	A's	B's	C's	D's/F's	- Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN119: Percentage of students who have ever been given money, a place to stay, food, or something else of value in exchange for sex	5.3 (4.2-6.6)	2.6 (1.9-3.6)	3.0 (2.0-4.5)	7.2 (4.3-11.8)	Yes
QN120: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	30.5 (28.0-33.2)	25.4 (23.0-28.0)	20.5 (17.4-24.1)	21.8 (16.4-28.4)	Yes
QN121: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	25.4 (23.0-27.9)	22.8 (20.5-25.4)	19.0 (15.9-22.5)	18.2 (13.1-24.6)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	16.2 (14.3-18.3)	18.0 (16.3-19.9)	22.0 (19.6-24.6)	27.8 (23.1-33.0)	Yes
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	4.7 (3.1-7.2)	2.6 (1.6-4.2)	3.9 (2.3-6.6)	10.5 (5.7-18.5)	Yes
QN12: Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	11.7 (10.1-13.6)	14.3 (12.7-16.0)	19.4 (17.1-22.0)	22.8 (18.3-27.9)	Yes
QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	4.2 (3.2-5.5)	4.5 (3.6-5.6)	6.1 (4.7-7.7)	5.5 (3.4-8.8)	No
QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	7.5 (6.1-9.1)	7.2 (6.1-8.6)	8.4 (6.8-10.2)	16.9 (13.0-21.6)	Yes
QN16: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	7.9 (6.5-9.5)	7.3 (6.2-8.7)	9.3 (7.7-11.3)	19.2 (15.1-24.0)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	21.5 (19.3-23.8)	29.3 (27.2-31.5)	38.1 (35.1-41.1)	46.2 (40.4-52.0)	Yes
QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	10.9 (9.3-12.8)	13.6 (12.1-15.4)	17.5 (15.3-20.0)	21.2 (16.8-26.3)	Yes
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	11.7 (10.1-13.6)	9.0 (7.7-10.5)	9.1 (7.5-10.9)	17.4 (13.4-22.3)	Yes
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)	14.3 (12.5-16.3)	10.3 (9.0-11.8)	12.7 (10.8-14.9)	21.5 (17.1-26.7)	Yes
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	4.8 (3.4-6.7)	3.8 (2.8-5.1)	4.4 (3.1-6.1)	11.4 (7.5-16.9)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	9.6 (7.7-11.9)	7.9 (6.5-9.7)	9.0 (7.1-11.3)	18.0 (13.3-23.9)	Yes
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	12.9 (11.2-14.9)	10.5 (9.1-12.1)	10.0 (8.3-12.0)	13.7 (10.2-18.1)	No
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	11.1 (9.5-12.9)	8.8 (7.6-10.3)	8.6 (7.1-10.5)	13.8 (10.3-18.3)	Yes
QN25: Percentage of students who felt sad or hopeless (almost every day for $>=2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	29.3 (26.9-31.8)	31.9 (29.8-34.2)	33.8 (31.0-36.7)	42.1 (36.6-47.8)	Yes
QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)	18.7 (16.7-20.9)	17.6 (15.9-19.4)	19.5 (17.2-22.0)	30.9 (25.9-36.5)	Yes
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	19.6 (17.6-21.9)	15.7 (14.0-17.4)	16.1 (14.0-18.5)	26.9 (22.2-32.3)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN28: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	13.4 (11.5-15.6)	12.0 (10.4-13.8)	16.0 (13.7-18.7)	27.0 (21.7-33.0)	Yes
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	5.4 (4.2-7.0)	4.2 (3.3-5.4)	5.0 (3.7-6.8)	10.1 (6.8-14.8)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black*	
Tobacco	Us

Tobacco Use					
	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	8.3 (6.9-10.0)	7.0 (5.9-8.4)	11.6 (9.8-13.8)	15.1 (11.4-19.6)	Yes
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	4.2 (3.2-5.5)	2.4 (1.7-3.3)	3.9 (2.9-5.3)	8.5 (5.8-12.2)	Yes
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.3 (0.1-0.8)	0.2 (0.1-0.7)	0.5 (0.2-1.2)	1.9 (0.8-4.6)	Yes
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.3 (0.1-0.7)	0.2 (0.0-0.6)	0.5 (0.2-1.2)	0.8 (0.2-2.9)	No
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)	9.6 (8.1-11.4)	8.5 (7.3-10.0)	10.1 (8.4-12.1)	18.7 (14.6-23.5)	Yes
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	0.6 (0.3-1.1)	0.4 (0.2-0.8)	0.7 (0.4-1.4)	4.1 (2.4-7.0)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Tobacco Use					
			ngaged in each ri stly earned in scl		_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	0.4 (0.2-1.0)	0.2 (0.1-0.5)	0.7 (0.4-1.4)	2.1 (1.0-4.3)	Yes
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	5.6 (4.5-7.1)	3.6 (2.8-4.6)	4.4 (3.3-5.8)	12.7 (9.4-16.9)	Yes
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	6.4 (5.2-7.9)	4.0 (3.2-5.1)	5.4 (4.1-6.9)	14.9 (11.2-19.4)	Yes
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	8.1 (6.7-9.8)	4.8 (3.9-5.9)	6.6 (5.2-8.3)	17.6 (13.7-22.3)	Yes
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	9.3 (7.8-11.0)	6.0 (5.0-7.3)	7.7 (6.2-9.5)	20.6 (16.5-25.5)	Yes
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	13.6 (11.8-15.6)	11.1 (9.7-12.7)	13.2 (11.2-15.4)	26.2 (21.5-31.4)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Fobacco Use Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school					
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	11.0 (9.4-12.9)	9.4 (8.1-10.9)	11.5 (9.7-13.7)	21.2 (16.9-26.2)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	15.1 (13.2-17.2)	14.7 (13.1-16.5)	21.9 (19.4-24.6)	20.4 (16.1-25.5)	Yes
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	14.9 (13.1-17.0)	17.3 (15.5-19.1)	18.9 (16.6-21.4)	24.3 (19.6-29.7)	Yes
QN42: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)	5.1 (4.0-6.4)	5.3 (4.3-6.5)	6.1 (4.7-7.8)	10.8 (7.6-14.9)	Yes
QN46: Percentage of students who tried marijuana for the first time before age 13 years	9.2 (7.7-11.0)	10.6 (9.2-12.2)	14.2 (12.1-16.5)	22.4 (18.0-27.5)	Yes
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	23.2 (21.0-25.5)	29.1 (27.0-31.3)	33.9 (31.0-36.8)	48.2 (42.6-53.8)	Yes
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	17.9 (15.9-20.0)	18.4 (16.6-20.3)	21.6 (19.2-24.2)	34.6 (29.5-40.1)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	- Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	5.3 (4.2-6.7)	3.3 (2.5-4.2)	4.3 (3.2-5.7)	13.1 (9.7-17.4)	Yes
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	10.1 (8.6-11.9)	8.9 (7.6-10.3)	10.2 (8.5-12.2)	18.6 (14.6-23.4)	Yes
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	4.6 (3.5-5.9)	2.9 (2.2-3.8)	3.6 (2.6-5.0)	14.3 (10.7-18.7)	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	4.9 (3.8-6.2)	3.4 (2.6-4.4)	3.8 (2.8-5.2)	13.6 (10.2-17.9)	Yes
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	5.0 (3.9-6.4)	3.6 (2.8-4.7)	4.4 (3.3-5.8)	12.4 (9.2-16.6)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
Health Risk Behavior	A's	B's	C's	D's/F's	- Significant Association [†]
	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who ever had sexual intercourse	34.6 (31.8-37.5)	46.2 (43.7-48.6)	52.9 (49.6-56.2)	59.8 (53.4-65.9)	Yes
QN59: Percentage of students who had sexual intercourse for the first time before age 13 years	5.1 (3.9-6.6)	6.7 (5.6-8.2)	11.5 (9.5-13.9)	11.7 (8.2-16.4)	Yes
QN60: Percentage of students who had sexual intercourse with four or more persons during their life	8.1 (6.6-9.9)	12.6 (11.1-14.4)	16.6 (14.3-19.3)	23.1 (18.1-28.9)	Yes
QN61: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	26.1 (23.6-28.9)	32.0 (29.8-34.4)	36.8 (33.7-40.1)	43.6 (37.4-50.0)	Yes
QN62: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	11.3 (8.0-15.8)	12.4 (9.8-15.6)	17.0 (13.2-21.5)	27.2 (19.6-36.5)	Yes
QN63: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	51.2 (45.2-57.3)	57.5 (53.0-61.9)	60.4 (54.9-65.7)	54.7 (44.6-64.3)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black*	
Sexual Behaviors	

Sexual Benaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN64: Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	8.5 (5.9-12.2)	9.2 (6.9-12.1)	9.7 (6.9-13.4)	7.8 (4.0-14.9)	No
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	8.2 (5.5-12.1)	7.2 (5.2-10.0)	3.2 (1.8-5.7)	7.6 (3.9-14.4)	No
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	25.9 (21.0-31.4)	23.1 (19.5-27.1)	21.6 (17.4-26.5)	27.9 (20.1-37.4)	No
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	8.1 (5.4-11.9)	7.9 (5.7-10.8)	8.0 (5.5-11.6)	4.8 (2.0-10.9)	No
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)	24.9 (19.9-30.6)	20.3 (16.9-24.3)	21.7 (17.4-26.6)	19.8 (13.1-28.8)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Sexual Behaviors Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school					
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN85: Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)	30.7 (28.2-33.2)	28.3 (26.3-30.5)	30.2 (27.5-33.1)	34.2 (28.9-39.8)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [¶]	15.4 (13.5-17.6)	18.1 (16.3-20.0)	20.8 (18.3-23.6)	26.9 (21.9-32.5)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [¶]	16.6 (14.7-18.8)	17.3 (15.5-19.2)	18.3 (15.9-20.9)	14.5 (10.7-19.2)	No
QN67: Percentage of students who described themselves as slightly or very overweight	24.1 (21.9-26.5)	27.2 (25.2-29.4)	27.6 (25.0-30.4)	31.1 (26.1-36.6)	Yes
QN68: Percentage of students who were trying to lose weight	44.5 (41.8-47.2)	41.9 (39.6-44.2)	42.5 (39.5-45.5)	43.2 (37.7-48.9)	No
QN70: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	19.1 (17.1-21.3)	14.9 (13.3-16.7)	18.2 (16.0-20.7)	23.3 (19.0-28.4)	Yes
QN71: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	49.8 (47.1-52.4)	48.4 (46.1-50.7)	53.5 (50.5-56.5)	56.3 (50.8-61.7)	Yes

*Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[§]Confidence interval.

¹Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
Health Risk Behavior	A's % 95% CI [§]	B's % 95% CI	C's % 95% CI	D's/F's % 95% CI	Significant Association [†]
QN75: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	38.7 (36.2-41.4)	28.0 (25.9-30.1)	24.6 (22.1-27.3)	21.5 (17.3-26.4)	Yes
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	9.8 (8.3-11.5)	17.0 (15.3-18.8)	18.5 (16.2-21.0)	24.9 (20.4-30.1)	Yes
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	6.3 (5.1-7.7)	11.4 (10.0-13.0)	13.7 (11.7-16.0)	17.9 (14.0-22.5)	Yes
QN77: Percentage of students who did not eat breakfast (during the 7 days before the survey)	21.8 (19.6-24.1)	15.9 (14.2-17.7)	19.4 (17.1-21.9)	27.4 (22.7-32.8)	Yes
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	25.6 (23.3-28.0)	23.0 (21.1-25.0)	19.8 (17.5-22.4)	16.1 (12.5-20.6)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Physical Activity

	Percentage o				
	A's	B's	C's	D's/F's	- Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN78: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	27.7 (25.4-30.2)	30.9 (28.7-33.1)	26.1 (23.5-28.9)	20.8 (16.6-25.6)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	30.7 (28.3-33.2)	25.8 (23.8-27.9)	27.0 (24.4-29.7)	35.7 (30.6-41.2)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	15.1 (13.3-17.1)	16.5 (14.8-18.4)	14.8 (12.7-17.1)	13.9 (10.4-18.3)	No
QN79: Percentage of students who watched television 3 or more hours per day (on an average school day)	24.3 (22.1-26.7)	28.9 (26.8-31.0)	33.1 (30.3-36.0)	30.8 (25.9-36.2)	Yes
QN80: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)	34.1 (31.6-36.7)	44.4 (42.0-46.7)	48.0 (45.0-51.1)	47.9 (42.4-53.5)	Yes
QN82: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)	50.8 (48.1-53.5)	54.2 (51.9-56.5)	47.9 (44.9-50.9)	37.5 (32.2-43.1)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Physical Activity	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN83: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	14.3 (12.5-16.3)	13.0 (11.5-14.7)	15.6 (13.5-18.0)	22.7 (18.3-27.8)	Yes
QN88: Percentage of students who got 8 or more hours of sleep (on an average school night)	18.7 (16.7-20.9)	21.1 (19.2-23.1)	18.1 (15.9-20.6)	16.9 (13.0-21.5)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Other	Percentage o	_			
Health Risk Behavior	A's % 95% CI [§]	% %	C's % 95% CI	D's/F's % 95% CI	Significant Association [†]
QN84: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)	33.3 (30.8-35.9)	33.0 (30.8-35.2)	34.8 (31.9-37.7)	36.2 (30.9-41.9)	No
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	76.0 (73.6-78.2)	77.2 (75.2-79.2)	69.8 (67.0-72.6)	64.5 (59.0-69.7)	Yes
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	1.9 (1.3-2.9)	0.9 (0.6-1.5)	2.5 (1.7-3.6)	3.5 (1.9-6.2)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Site-Added					
	0	f students who en ype of grades mo	00	, .	_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN90: Percentage of students who who live in District of Columbia wards 1 through 4	21.9 (19.8-24.2)	17.8 (16.1-19.6)	14.6 (12.6-16.9)	14.9 (11.4-19.3)	Yes
QN91: Percentage of students who who live in District of Columbia wards 5 through 8	58.8 (56.1-61.4)	58.3 (55.9-60.6)	56.7 (53.6-59.7)	54.1 (48.4-59.6)	No
QN92: Percentage of students who think other people at school would describe them as equally feminine and masculine	12.5 (10.8-14.4)	13.1 (11.6-14.8)	14.2 (12.2-16.5)	17.0 (13.2-21.8)	No
QN93: Percentage of students who are transgender	1.6 (1.1-2.5)	1.2 (0.8-1.8)	1.4 (0.8-2.3)	3.2 (1.7-6.1)	No
QN94: Percentage of students who rarely or never wore a helmet when they rode a bicycle or used rollerblades or a skateboard (among students who rode a bicycle or used rollerblades or a skateboard during the 12 months before the survey)	82.8 (79.4-85.6)	87.2 (84.8-89.3)	91.0 (88.2-93.1)	86.1 (79.8-90.7)	Yes
QN95: Percentage of students who have been afraid of being beaten up at school one or more times (during the 12 months before the survey)	7.2 (5.9-8.8)	6.5 (5.4-7.8)	8.0 (6.5-9.8)	16.1 (12.5-20.6)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN96: Percentage of students who reported that their property had been stolen or deliberately damaged on school property one or more times (such as their car, clothing, or books, during the 12 months before the survey)	15.7 (13.9-17.8)	14.8 (13.2-16.5)	16.7 (14.6-19.2)	23.5 (19.1-28.6)	Yes
QN97: Percentage of students who have been harassed on school property one or more times because someone thought they were gay, lesbian, bisexual, or transgender (during the 12 months before the survey)	9.5 (8.0-11.2)	8.2 (6.9-9.6)	8.4 (6.8-10.2)	18.2 (14.2-22.9)	Yes
QN98: Percentage of students who have been a member of a gang or crew (during the 12 months before the survey)	12.4 (10.6-14.3)	11.4 (10.0-13.0)	14.5 (12.5-16.9)	18.6 (14.4-23.7)	Yes
QN99: Percentage of students who have seen or heard people where they live be violent and abusive (including serious hitting, shouting, throwing items, yelling, or name calling, but not 'play fighting,' during the 12 months before the survey)	36.7 (34.2-39.4)	36.3 (34.0-38.5)	39.8 (36.9-42.9)	45.4 (39.7-51.1)	Yes
QN100: Percentage of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (such things as being told who they could and could not spend time with, being humiliated in front of others, or being threatened if they did not do what they wanted, during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	18.5 (16.0-21.3)	18.8 (16.7-21.1)	19.8 (17.2-22.8)	29.6 (23.8-36.0)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Site-Added					
		f students who en ype of grades mo			_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who reported someone did sexual things to them that they did not want to do one or more times (by pressuring them, lying to them, making promises about the future, threatening to end their relationship, or threatening to spread rumors about them, during the 12 months before the survey)	11.9 (10.2-13.8)	12.5 (11.0-14.1)	13.3 (11.4-15.5)	21.4 (17.2-26.3)	Yes
QN102: Percentage of students who bullied someone on school property (during the 12 months before the survey)	10.1 (8.6-11.9)	6.9 (5.8-8.2)	9.1 (7.5-11.0)	13.5 (10.1-17.8)	Yes
QN103: Percentage of students who currently used illegal drugs (one or more times during the 30 days before the survey)	10.2 (8.7-12.0)	9.2 (7.9-10.6)	10.3 (8.6-12.3)	21.3 (17.1-26.2)	Yes
QN104: Percentage of students who reported their partners were three or more years older than themselves the last time they had sexual intercourse (among students who have had sexual intercourse)	10.3 (7.8-13.5)	8.1 (6.4-10.2)	8.2 (6.2-10.8)	10.0 (6.5-15.3)	No
QN105: Percentage of students who have had oral sex with one or more people during their life	34.6 (32.0-37.2)	38.8 (36.5-41.1)	42.0 (39.0-45.0)	47.3 (41.8-52.8)	Yes
QN106: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	3.9 (3.0-5.2)	5.2 (4.3-6.4)	6.4 (5.1-8.2)	10.9 (7.8-15.1)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Site-Added					
		f students who er ype of grades mo			_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who exercised to lose weight or to keep from gaining weight (during the 30 days before the survey)	52.0 (49.3-54.8)	50.7 (48.4-53.1)	48.4 (45.3-51.4)	44.1 (38.4-49.8)	Yes
QN108: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight (also called fasting, during the 30 days before the survey)	16.3 (14.4-18.5)	13.1 (11.6-14.8)	14.7 (12.6-17.0)	21.6 (17.2-26.8)	Yes
QN109: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight (during the 30 days before the survey)	11.8 (10.1-13.7)	4.8 (3.9-5.9)	6.3 (4.9-8.0)	10.1 (7.0-14.3)	Yes
QN110: Percentage of students who ate at a fast food chain or carry out restaurant (at least one day during the 7 days before the survey)	76.4 (74.0-78.6)	81.6 (79.7-83.3)	81.6 (79.1-83.8)	82.0 (77.4-85.9)	Yes
QN111: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	3.9 (3.0-5.0)	4.2 (3.3-5.2)	4.3 (3.2-5.7)	9.7 (6.8-13.6)	Yes
QN112: Percentage of students who reported that some of their classroom teachers provide short physical activity breaks during regular class time (not counting their physical education teacher)	23.2 (21.0-25.6)	18.7 (17.0-20.7)	19.4 (17.1-22.0)	21.0 (16.6-26.2)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Site-Added	Percentage of ty				
	A's	B's	C's %	D's/F's	Significant Association [†]
Health Risk Behavior	95% CI [§]	95% CI	95% CI	95% CI	
QN113: Percentage of students who have been taught about AIDS or HIV infection in school	74.0 (71.5-76.3)	72.3 (70.1-74.3)	72.5 (69.7-75.2)	70.9 (65.5-75.7)	No
QN114: Percentage of students who strongly agree or agree that they feel close to people at their school	69.1 (66.5-71.5)	67.2 (65.0-69.4)	60.4 (57.4-63.4)	53.2 (47.6-58.7)	Yes
QN115: Percentage of students who reported that there is at least one teacher or other adult in that school that they can talk to if they have a problem	75.5 (73.1-77.8)	73.4 (71.3-75.5)	70.0 (67.2-72.8)	68.4 (62.8-73.5)	Yes
QN116: Percentage of students who have been removed from class for at least one day for disciplinary reasons (counting time spent in in-school suspension, out-of-school suspension, and expulsion, one or more times during the 12 months before the survey)	21.2 (19.0-23.5)	30.9 (28.8-33.2)	42.1 (39.1-45.1)	46.1 (40.6-51.7)	Yes
QN117: Percentage of students who did not usually sleep in their parent's or guardian's home (during the 30 days before the survey)	8.8 (7.4-10.6)	6.3 (5.3-7.6)	8.5 (6.9-10.4)	20.3 (16.2-25.1)	Yes
QN118: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)	15.0 (13.1-17.1)	6.4 (5.3-7.7)	8.7 (7.1-10.6)	19.8 (15.6-24.9)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Black* Site-Added	Percentage o				
	A's	B's	C's	D's/F's	- Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN119: Percentage of students who have ever been given money, a place to stay, food, or something else of value in exchange for sex	12.5 (10.7-14.4)	3.4 (2.6-4.4)	4.4 (3.3-5.9)	10.4 (7.3-14.7)	Yes
QN120: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	24.6 (21.7-27.8)	25.2 (22.8-27.9)	20.1 (17.2-23.4)	25.6 (20.1-31.9)	No
QN121: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	26.5 (23.5-29.8)	26.7 (24.1-29.4)	23.6 (20.4-27.0)	25.4 (19.8-31.9)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino **Unintentional Injuries/Violence**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	17.6 (14.5-21.1)	20.2 (17.4-23.3)	19.1 (15.5-23.3)	30.5 (23.4-38.7)	Yes
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	6.6 (3.7-11.4)	7.5 (4.8-11.6)	7.8 (4.3-13.6)	18.1 (10.2-30.1)	No
QN12: Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	8.8 (6.6-11.7)	10.3 (8.3-12.8)	13.8 (10.7-17.5)	19.3 (13.5-26.8)	Yes
QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	3.0 (1.7-5.1)	3.7 (2.5-5.5)	3.5 (2.1-5.6)	7.6 (4.1-13.5)	No
QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	8.3 (6.2-11.1)	10.8 (8.7-13.3)	17.3 (13.9-21.4)	22.4 (16.1-30.3)	Yes
QN16: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	7.6 (5.5-10.3)	7.2 (5.5-9.4)	11.4 (8.6-14.9)	16.9 (11.6-24.0)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	15.0 (12.1-18.4)	17.7 (15.1-20.8)	22.6 (18.6-27.1)	33.3 (25.5-42.1)	Yes
QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	6.2 (4.4-8.7)	9.2 (7.3-11.6)	11.6 (8.8-15.0)	16.8 (11.2-24.5)	Yes
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	12.7 (10.1-16.0)	10.5 (8.5-13.0)	12.2 (9.4-15.8)	14.2 (9.3-21.0)	No
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)	14.9 (12.1-18.3)	13.4 (11.1-16.1)	16.8 (13.4-20.9)	22.8 (16.6-30.6)	Yes
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	3.6 (1.9-6.4)	8.4 (6.1-11.5)	8.4 (5.5-12.7)	9.7 (5.3-17.2)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	7.6 (5.0-11.5)	7.1 (5.0-9.9)	6.5 (4.0-10.3)	19.2 (12.6-28.2)	Yes
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	15.4 (12.5-18.9)	10.0 (8.0-12.4)	15.6 (12.3-19.6)	13.0 (8.2-20.0)	Yes
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	15.1 (12.2-18.5)	7.9 (6.1-10.2)	12.6 (9.6-16.2)	13.7 (8.8-20.9)	Yes
QN25: Percentage of students who felt sad or hopeless (almost every day for $>=2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	34.7 (30.7-39.0)	34.1 (30.7-37.7)	42.5 (37.7-47.5)	46.9 (38.6-55.4)	Yes
QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)	15.9 (13.0-19.4)	16.3 (13.7-19.2)	20.7 (17.0-25.1)	25.9 (19.1-34.1)	Yes
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	16.8 (13.8-20.3)	14.8 (12.4-17.7)	20.0 (16.3-24.3)	24.5 (18.1-32.3)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN28: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	10.0 (7.5-13.3)	15.9 (13.1-19.2)	16.9 (13.1-21.7)	36.9 (28.4-46.3)	Yes
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	3.3 (1.9-5.5)	5.8 (4.1-8.1)	7.9 (5.2-11.6)	15.6 (9.8-24.1)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Tobacco Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	7.1 (5.1-9.8)	8.8 (6.9-11.2)	14.3 (11.1-18.2)	22.3 (16.1-30.2)	Yes
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	5.6 (3.9-7.9)	5.2 (3.8-7.1)	9.1 (6.6-12.4)	12.4 (7.8-19.2)	Yes
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	1.1 (0.5-2.6)	0.2 (0.1-1.0)	1.5 (0.7-3.2)	2.1 (0.7-6.3)	No
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.7 (0.2-2.2)	0.1 (0.0-0.9)	1.0 (0.4-2.6)	1.3 (0.3-4.9)	No
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)	14.7 (12.0-18.0)	13.6 (11.4-16.2)	21.5 (17.8-25.8)	32.9 (25.5-41.2)	Yes
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	2.1 (1.2-3.8)	0.8 (0.4-1.6)	2.8 (1.6-4.8)	7.9 (4.4-13.8)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Tobacco Use					
			ngaged in each ri stly earned in scl		_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	1.6 (0.8-3.2)	0.4 (0.2-1.2)	1.8 (0.9-3.6)	3.4 (1.4-7.9)	Yes
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	4.6 (3.1-6.8)	4.4 (3.1-6.3)	7.4 (5.2-10.4)	16.6 (11.2-24.0)	Yes
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	6.8 (4.9-9.3)	6.3 (4.8-8.4)	9.3 (6.8-12.7)	15.6 (10.4-22.8)	Yes
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	9.4 (7.2-12.2)	8.3 (6.5-10.5)	13.3 (10.3-17.0)	18.2 (12.6-25.6)	Yes
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	10.3 (7.9-13.2)	9.5 (7.6-11.9)	14.0 (10.9-17.8)	22.9 (16.6-30.8)	Yes
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	18.1 (15.0-21.6)	18.2 (15.6-21.2)	25.2 (21.3-29.7)	38.8 (31.0-47.3)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Tobacco Use						
	A's	B's	C's	D's/F's	Significant Association*	
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI		
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	16.4 (13.5-19.9)	15.5 (13.1-18.3)	24.1 (20.2-28.5)	35.9 (28.3-44.4)	Yes	

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Alcohol/Other Drug Use

	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	14.4 (11.5-17.9)	16.3 (13.7-19.3)	21.4 (17.6-25.9)	29.7 (22.6-37.9)	Yes
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	20.5 (17.2-24.3)	19.4 (16.6-22.5)	21.2 (17.4-25.6)	30.4 (23.1-38.8)	Yes
QN42: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)	10.3 (8.0-13.2)	9.9 (7.9-12.3)	9.3 (6.7-12.6)	20.0 (14.0-27.8)	Yes
QN46: Percentage of students who tried marijuana for the first time before age 13 years	8.2 (6.1-11.0)	7.1 (5.4-9.3)	12.9 (9.9-16.7)	21.6 (15.3-29.5)	Yes
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	17.3 (14.2-20.9)	20.1 (17.4-23.2)	29.5 (25.2-34.2)	41.4 (33.4-49.9)	Yes
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	19.8 (16.5-23.5)	17.4 (14.8-20.4)	23.3 (19.4-27.6)	29.6 (22.5-37.7)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Alcohol/Other Drug Use

	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	5.7 (4.0-8.2)	4.7 (3.3-6.6)	9.2 (6.7-12.5)	15.6 (10.3-22.7)	Yes
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	8.3 (6.2-11.0)	8.7 (6.8-11.0)	10.9 (8.1-14.4)	15.9 (10.7-23.0)	No
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	5.9 (4.1-8.3)	3.8 (2.6-5.6)	5.4 (3.5-8.3)	12.7 (8.1-19.2)	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	5.7 (3.9-8.2)	3.7 (2.5-5.4)	5.8 (3.8-8.6)	9.8 (5.9-16.0)	No
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	4.9 (3.3-7.1)	3.7 (2.5-5.5)	7.3 (5.1-10.3)	13.5 (8.6-20.4)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Sexual Behaviors							
			ngaged in each ri stly earned in scl		_		
	A's	B's	C's	D's/F's	Significant Association*		
Health Risk Behavior	% 95% CI†			% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who ever had sexual intercourse	36.7 (32.2-41.5)	40.9 (37.1-44.8)	49.9 (44.6-55.2)	52.8 (42.9-62.4)	Yes		
QN59: Percentage of students who had sexual intercourse for the first time before age 13 years	5.0 (3.2-7.6)	5.6 (4.0-7.7)	8.9 (6.3-12.5)	9.0 (4.9-16.0)	No		
QN60: Percentage of students who had sexual intercourse with four or more persons during their life	7.0 (4.9-9.8)	9.4 (7.3-11.9)	12.8 (9.7-16.7)	16.1 (10.4-24.1)	No		
QN61: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	26.4 (22.4-30.8)	26.0 (22.7-29.6)	35.3 (30.4-40.5)	37.6 (28.8-47.2)	Yes		
QN62: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	11.9 (7.1-19.4)	13.6 (9.2-19.6)	8.1 (4.4-14.3)	35.5 (21.8-52.0)	Yes		
QN63: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	58.0 (48.7-66.7)	61.6 (53.6-69.1)	57.8 (48.8-66.4)	44.4 (29.3-60.7)	No		

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Sexual Behaviors

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN64: Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	11.6 (6.9-18.9)	10.0 (6.3-15.5)	14.8 (9.5-22.3)	16.1 (7.4-31.4)	No
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	12.2 (7.4-19.4)	7.3 (4.2-12.5)	10.9 (6.4-17.9)	15.1 (7.0-29.6)	No
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	32.5 (24.5-41.8)	24.9 (18.8-32.2)	33.4 (25.5-42.4)	36.0 (22.8-51.9)	No
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	8.4 (4.5-15.3)	6.1 (3.3-10.8)	10.2 (5.9-17.1)	5.2 (1.3-18.4)	No
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)	9.3 (5.3-15.9)	17.3 (12.0-24.4)	19.0 (12.8-27.1)	14.2 (6.5-28.1)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Sexual Behaviors			ngaged in each ri stly earned in scl		
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN85: Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)	28.8 (24.9-32.9)	22.9 (20.0-26.2)	24.4 (20.4-28.9)	19.1 (13.4-26.6)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Dietary Behaviors					
		f students who er ype of grades mo			_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	11.9 (9.2-15.4)	16.7 (13.9-20.0)	25.9 (21.2-31.2)	26.2 (18.9-35.1)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	20.0 (16.4-24.1)	21.1 (17.9-24.6)	22.7 (18.3-27.8)	25.0 (17.9-33.8)	No
QN67: Percentage of students who described themselves as slightly or very overweight	26.6 (22.9-30.7)	32.3 (29.0-35.9)	36.1 (31.5-40.9)	44.9 (36.8-53.4)	Yes
QN68: Percentage of students who were trying to lose weight	51.4 (47.0-55.7)	51.9 (48.2-55.5)	54.8 (49.8-59.6)	57.5 (49.0-65.5)	No
QN70: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	15.6 (12.6-19.1)	9.8 (7.8-12.3)	10.9 (8.2-14.4)	14.5 (9.6-21.2)	Yes
QN71: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	36.6 (32.5-40.8)	40.5 (37.0-44.2)	40.5 (35.8-45.4)	44.2 (36.1-52.6)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[†]Confidence interval.

[§] Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino **Dietary Behaviors**

	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN75: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	36.1 (32.1-40.4)	27.2 (24.1-30.6)	22.8 (19.0-27.1)	18.1 (12.6-25.3)	Yes
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	9.1 (6.9-11.9)	11.8 (9.6-14.4)	13.8 (10.7-17.7)	20.6 (14.6-28.2)	Yes
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	5.2 (3.6-7.5)	7.2 (5.5-9.4)	9.1 (6.6-12.4)	15.5 (10.3-22.6)	Yes
QN77: Percentage of students who did not eat breakfast (during the 7 days before the survey)	18.9 (15.7-22.6)	18.6 (15.9-21.7)	22.3 (18.5-26.6)	33.1 (25.7-41.4)	Yes
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	34.7 (30.7-38.9)	28.4 (25.2-31.8)	18.9 (15.3-23.2)	18.2 (12.5-25.7)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Physical Activity

	Percentage o				
Health Risk Behavior	A's % 95% CI [†]	B's % 95% CI	C's % 95% CI	D's/F's % 95% CI	Significant Association*
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	35.7 (31.7-40.0)	31.3 (28.0-34.8)	29.7 (25.4-34.4)	28.6 (21.7-36.7)	No
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	11.6 (9.1-14.8)	8.9 (7.1-11.1)	8.1 (5.8-11.1)	7.2 (3.9-12.9)	Yes
QN79: Percentage of students who watched television 3 or more hours per day (on an average school day)	13.3 (10.5-16.7)	16.0 (13.5-18.8)	17.6 (14.2-21.6)	20.7 (14.8-28.2)	No
QN80: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)	27.7 (24.0-31.8)	36.4 (32.9-40.0)	40.5 (35.8-45.4)	48.7 (40.5-57.1)	Yes
QN82: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)	48.8 (44.4-53.1)	46.5 (42.8-50.1)	42.1 (37.4-47.1)	40.8 (32.6-49.5)	No

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN83: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	15.5 (12.6-19.0)	15.0 (12.5-17.9)	16.3 (13.0-20.3)	26.0 (19.2-34.3)	No
QN88: Percentage of students who got 8 or more hours of sleep (on an average school night)	25.1 (21.5-29.1)	24.6 (21.5-28.0)	17.8 (14.3-21.9)	13.7 (8.9-20.4)	Yes

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Other

Other	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN84: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)	31.3 (27.4-35.5)	29.0 (25.8-32.5)	30.4 (26.1-35.1)	34.8 (27.2-43.3)	No
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	81.0 (77.3-84.3)	77.4 (74.1-80.4)	70.7 (66.1-75.0)	62.9 (54.5-70.6)	Yes
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	3.0 (1.8-5.0)	1.7 (1.0-3.1)	3.3 (1.9-5.7)	4.9 (2.4-10.0)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN90: Percentage of students who who live in District of Columbia wards 1 through 4	47.3 (43.0-51.7)	43.6 (40.0-47.4)	41.5 (36.6-46.5)	42.6 (34.5-51.1)	No
QN91: Percentage of students who who live in District of Columbia wards 5 through 8	24.6 (20.9-28.8)	24.9 (21.7-28.5)	21.8 (17.7-26.5)	24.0 (17.2-32.5)	No
QN92: Percentage of students who think other people at school would describe them as equally feminine and masculine	14.1 (11.3-17.5)	15.7 (13.1-18.6)	15.9 (12.6-19.9)	21.4 (15.2-29.2)	No
QN93: Percentage of students who are transgender	2.0 (1.0-3.8)	1.4 (0.8-2.7)	2.4 (1.2-4.5)	3.0 (1.1-7.5)	No
QN94: Percentage of students who rarely or never wore a helmet when they rode a bicycle or used rollerblades or a skateboard (among students who rode a bicycle or used rollerblades or a skateboard during the 12 months before the survey)	71.0 (65.2-76.2)	80.1 (75.6-83.9)	90.0 (85.3-93.3)	89.7 (79.9-95.0)	Yes
QN95: Percentage of students who have been afraid of being beaten up at school one or more times (during the 12 months before the survey)	11.0 (8.5-14.0)	10.1 (8.1-12.5)	10.6 (7.9-14.0)	17.8 (12.4-25.1)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Site-Added

She-Added	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN96: Percentage of students who reported that their property had been stolen or deliberately damaged on school property one or more times (such as their car, clothing, or books, during the 12 months before the survey)	15.2 (12.3-18.5)	15.7 (13.2-18.6)	14.9 (11.7-18.9)	22.7 (16.4-30.5)	No
QN97: Percentage of students who have been harassed on school property one or more times because someone thought they were gay, lesbian, bisexual, or transgender (during the 12 months before the survey)	9.6 (7.3-12.5)	7.1 (5.4-9.3)	8.9 (6.4-12.1)	18.9 (13.2-26.3)	Yes
QN98: Percentage of students who have been a member of a gang or crew (during the 12 months before the survey)	10.3 (7.9-13.4)	10.7 (8.6-13.3)	11.1 (8.4-14.6)	19.4 (13.5-27.0)	No
QN99: Percentage of students who have seen or heard people where they live be violent and abusive (including serious hitting, shouting, throwing items, yelling, or name calling, but not 'play fighting,' during the 12 months before the survey)	29.7 (25.9-33.8)	30.8 (27.5-34.4)	36.0 (31.4-40.8)	37.6 (29.8-46.0)	No
QN100: Percentage of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (such things as being told who they could and could not spend time with, being humiliated in front of others, or being threatened if they did not do what they wanted, during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	19.0 (15.0-24.0)	17.1 (13.9-20.8)	18.1 (13.9-23.2)	29.0 (21.3-38.2)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Site-Added					
			ngaged in each ri stly earned in scl		_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who reported someone did sexual things to them that they did not want to do one or more times (by pressuring them, lying to them, making promises about the future, threatening to end their relationship, or threatening to spread rumors about them, during the 12 months before the survey)	13.4 (10.7-16.7)	13.8 (11.4-16.6)	16.4 (13.1-20.4)	24.9 (18.4-32.7)	Yes
QN102: Percentage of students who bullied someone on school property (during the 12 months before the survey)	12.3 (9.7-15.5)	7.3 (5.6-9.5)	10.5 (7.8-14.0)	12.7 (8.0-19.5)	Yes
QN103: Percentage of students who currently used illegal drugs (one or more times during the 30 days before the survey)	11.7 (9.1-14.8)	12.1 (9.9-14.7)	16.5 (13.2-20.5)	28.1 (21.3-36.0)	Yes
QN104: Percentage of students who reported their partners were three or more years older than themselves the last time they had sexual intercourse (among students who have had sexual intercourse)	17.4 (12.4-23.7)	12.5 (9.2-16.8)	12.0 (8.1-17.4)	13.8 (7.8-23.2)	No
QN105: Percentage of students who have had oral sex with one or more people during their life	32.6 (28.7-36.8)	35.3 (31.8-38.9)	36.0 (31.4-40.8)	46.8 (38.6-55.2)	Yes
QN106: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	4.3 (2.9-6.4)	3.0 (2.0-4.6)	6.7 (4.6-9.6)	8.4 (4.7-14.5)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Site-Added

Sit-Auutu	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who exercised to lose weight or to keep from gaining weight (during the 30 days before the survey)	59.4 (55.1-63.7)	56.2 (52.5-59.8)	57.9 (52.9-62.6)	54.7 (46.2-62.9)	No
QN108: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight (also called fasting, during the 30 days before the survey)	16.8 (13.7-20.4)	17.1 (14.5-20.1)	18.0 (14.5-22.2)	25.5 (18.7-33.6)	No
QN109: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight (during the 30 days before the survey)	13.3 (10.5-16.6)	5.5 (4.0-7.5)	5.4 (3.5-8.1)	10.0 (6.0-16.2)	Yes
QN110: Percentage of students who ate at a fast food chain or carry out restaurant (at least one day during the 7 days before the survey)	68.5 (64.4-72.4)	78.7 (75.5-81.5)	82.1 (78.0-85.7)	82.8 (75.5-88.3)	Yes
QN111: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	2.8 (1.6-4.6)	3.6 (2.5-5.2)	6.7 (4.6-9.7)	16.8 (11.2-24.4)	Yes
QN112: Percentage of students who reported that some of their classroom teachers provide short physical activity breaks during regular class time (not counting their physical education teacher)	23.4 (19.8-27.5)	20.0 (17.2-23.2)	19.1 (15.4-23.5)	21.3 (14.8-29.5)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino Site-Added

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN113: Percentage of students who have been taught about AIDS or HIV infection in school	70.4 (66.2-74.2)	66.6 (63.0-70.0)	68.7 (63.9-73.1)	61.3 (52.9-69.2)	No
QN114: Percentage of students who strongly agree or agree that they feel close to people at their school	71.7 (67.6-75.4)	69.4 (65.9-72.7)	62.8 (58.0-67.4)	59.4 (50.9-67.4)	Yes
QN115: Percentage of students who reported that there is at least one teacher or other adult in that school that they can talk to if they have a problem	76.7 (72.9-80.2)	65.7 (62.1-69.1)	65.9 (61.0-70.4)	60.1 (51.5-68.1)	Yes
QN116: Percentage of students who have been removed from class for at least one day for disciplinary reasons (counting time spent in in-school suspension, out-of-school suspension, and expulsion, one or more times during the 12 months before the survey)	15.8 (12.8-19.2)	21.4 (18.5-24.7)	30.3 (25.9-35.0)	44.5 (36.4-52.9)	Yes
QN117: Percentage of students who did not usually sleep in their parent's or guardian's home (during the 30 days before the survey)	8.2 (6.0-11.1)	7.8 (5.9-10.1)	7.4 (5.2-10.6)	16.7 (11.2-24.1)	Yes
QN118: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)	15.1 (12.1-18.7)	8.9 (7.0-11.2)	10.4 (7.7-13.8)	16.9 (11.3-24.3)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†] Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

Hispanic/Latino	
Site-Added	

Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN119: Percentage of students who have ever been given money, a place to stay, food, or something else of value in exchange for sex	12.4 (9.7-15.8)	4.2 (3.0-6.0)	5.9 (3.9-8.9)	8.4 (4.7-14.6)	Yes
QN120: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	32.4 (27.5-37.8)	20.9 (17.4-24.9)	19.9 (15.4-25.2)	22.1 (14.6-32.1)	Yes
QN121: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	29.0 (24.2-34.2)	24.2 (20.4-28.5)	17.4 (13.3-22.5)	12.0 (6.8-20.3)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. [†]Confidence interval.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* **Unintentional Injuries/Violence**

	Percentage o				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	17.7 (14.8-20.9)	17.8 (13.7-22.9)	34.8 (22.4-49.6)	-	
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	5.1 (2.9-9.0)	8.3 (4.1-16.0)	-	-	
QN12: Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	5.3 (3.8-7.4)	15.2 (11.4-20.1)	34.2 (21.7-49.4)	-	
QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	0.7 (0.3-1.8)	4.6 (2.6-7.8)	11.4 (4.9-24.3)	-	
QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	1.6 (0.9-2.9)	4.4 (2.5-7.4)	10.2 (3.9-24.2)	-	
QN16: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	2.8 (1.8-4.4)	5.5 (3.3-9.0)	11.1 (4.8-23.4)	-	

*Non-Hispanic. [†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* **Unintentional Injuries/Violence**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	9.2 (7.1-11.7)	21.2 (16.7-26.5)	31.6 (19.9-46.2)	-	
QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	2.0 (1.2-3.5)	6.2 (3.9-9.8)	13.6 (6.4-26.6)	-	
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	4.5 (3.1-6.6)	5.4 (3.3-8.9)	12.4 (5.3-26.4)	-	
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)	9.9 (7.8-12.6)	15.5 (11.6-20.4)	24.4 (13.8-39.5)	-	
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	5.3 (3.4-8.3)	6.7 (3.6-12.3)	-	-	

*Non-Hispanic. [†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Unintentional Injuries/Violence

Unintentional injulies/ violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	2.1 (1.0-4.2)	4.7 (2.3-9.3)	-	-	
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	12.0 (9.7-14.9)	21.7 (17.1-27.1)	23.9 (13.5-38.7)	-	
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	9.1 (7.0-11.6)	12.6 (9.1-17.1)	19.0 (9.9-33.3)	-	
QN25: Percentage of students who felt sad or hopeless (almost every day for $>=2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	21.3 (18.3-24.6)	41.6 (35.8-47.6)	35.1 (22.6-50.0)	-	
QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)	13.1 (10.7-16.0)	22.4 (17.8-27.9)	28.4 (17.0-43.3)	-	
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	12.0 (9.7-14.8)	19.1 (14.8-24.4)	26.3 (15.8-40.5)	-	

*Non-Hispanic. [†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
Health Risk Behavior	A's % 95% CI [§]	B's % 95% CI	C's % 95% CI	D's/F's	Significant Association [†]
				% 95% CI	
QN28: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	2.7 (1.7-4.3)	6.7 (4.2-10.6)	16.4 (7.6-31.7)	-	
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	0.9 (0.4-2.0)	2.0 (0.8-4.6)	11.7 (4.5-27.4)	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Tobacco Use					
			ngaged in each ris stly earned in sch		
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	2.0 (1.2-3.5)	5.9 (3.6-9.5)	9.0 (3.5-21.0)	-	
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	6.6 (4.9-8.8)	10.9 (7.7-15.1)	15.7 (7.8-29.0)	-	
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.4 (0.1-1.7)	0.4 (0.1-2.3)	0.0	-	
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.3 (0.0-1.8)	0.4 (0.1-2.3)	0.0	-	
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)	22.2 (19.1-25.6)	31.2 (26.1-36.9)	40.1 (27.1-54.6)	-	
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	2.9 (1.9-4.5)	6.5 (4.2-10.0)	9.4 (3.6-22.0)	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Tobacco Use					
			ngaged in each ris stly earned in sch		
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	1.0 (0.5-2.1)	2.9 (1.5-5.6)	4.4 (1.2-15.1)	-	
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	1.6 (0.8-2.9)	1.8 (0.8-4.1)	4.4 (1.1-15.4)	-	
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	3.5 (2.3-5.2)	5.5 (3.4-8.7)	6.6 (2.2-17.7)	-	
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	7.9 (6.0-10.2)	13.8 (10.3-18.4)	19.7 (10.8-33.3)	-	
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	8.4 (6.5-10.8)	14.5 (10.8-19.1)	21.9 (12.4-35.8)	-	
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	25.0 (21.8-28.5)	34.5 (29.2-40.3)	44.5 (31.0-58.8)	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Tobacco Use	Percentage o				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	23.9 (20.7-27.4)	33.4 (28.1-39.2)	44.5 (31.0-58.8)	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Alcohol/Other Drug Use

	Percentage of ty				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	8.2 (6.3-10.7)	16.5 (12.5-21.4)	26.2 (15.3-41.1)	-	
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	41.0 (37.2-44.9)	41.2 (35.4-47.3)	55.4 (40.7-69.1)	-	
QN42: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)	24.5 (21.3-28.0)	23.8 (19.1-29.1)	32.1 (20.3-46.8)	-	
QN46: Percentage of students who tried marijuana for the first time before age 13 years	2.0 (1.2-3.5)	6.4 (4.1-10.0)	10.2 (3.9-24.2)	-	
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	30.0 (26.6-33.7)	34.6 (29.2-40.4)	44.0 (30.6-58.4)	-	
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	7.8 (6.0-10.2)	15.8 (11.9-20.8)	21.9 (12.5-35.7)	-	

*Non-Hispanic. [†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Alcohol/Other Drug Use

Aconoronici Diug Osc	Percentage o	_			
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	2.5 (1.6-4.1)	4.4 (2.6-7.5)	6.6 (2.2-17.8)	-	
QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	5.8 (4.2-7.9)	14.7 (10.9-19.5)	24.2 (14.1-38.3)	-	
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	1.4 (0.7-2.7)	1.1 (0.4-3.3)	4.4 (1.2-15.1)	-	
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	1.2 (0.6-2.6)	2.5 (1.2-5.1)	4.4 (1.2-15.1)	-	
QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	2.2 (1.3-3.7)	4.5 (2.6-7.6)	6.6 (2.2-17.8)	-	

*Non-Hispanic. [†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Sexual Behaviors					
			ngaged in each ris stly earned in sch		
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who ever had sexual intercourse	22.8 (19.6-26.3)	33.1 (27.7-39.0)	47.3 (32.9-62.1)	-	
QN59: Percentage of students who had sexual intercourse for the first time before age 13 years	0.7 (0.3-1.7)	1.2 (0.4-3.4)	4.8 (1.3-16.7)	-	
QN60: Percentage of students who had sexual intercourse with four or more persons during their life	3.4 (2.3-5.1)	7.6 (4.9-11.4)	12.4 (5.4-26.2)	-	
QN61: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	18.6 (15.7-21.8)	23.2 (18.5-28.7)	30.5 (18.4-46.1)	-	
QN62: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	28.2 (20.7-37.1)	25.8 (16.4-38.1)	_	-	
QN63: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	63.6 (54.4-71.9)	60.0 (47.3-71.5)	_	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Sexual Behaviors					
		f students who en ype of grades mos			
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN64: Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	23.0 (16.2-31.7)	25.0 (15.6-37.4)	-	-	
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	16.0 (10.3-24.0)	8.8 (3.8-19.0)	-	-	
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	40.9 (32.2-50.2)	33.7 (22.9-46.5)	-	-	
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	16.4 (10.6-24.5)	7.4 (2.9-17.7)	-	-	
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)	10.4 (5.9-17.5)	5.3 (1.8-14.6)	-	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school						
	A's	B's	C's	D's/F's	Significant Association [†]		
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI			
QN85: Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)	17.4 (14.7-20.5)	19.9 (15.7-25.0)	24.1 (14.1-38.1)	-			

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Dietary Behaviors	Percentage o				
	A's	B's	C's	D's/F's	Significant Association †
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [¶]	2.5 (1.5-4.2)	5.7 (3.5-9.3)	21.3 (11.2-36.7)	_	
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [¶]	7.7 (5.8-10.2)	10.5 (7.2-15.0)	5.1 (1.3-17.6)	-	
QN67: Percentage of students who described themselves as slightly or very overweight	17.8 (14.9-21.1)	23.9 (19.1-29.4)	33.0 (20.8-47.9)	-	
QN68: Percentage of students who were trying to lose weight	34.3 (30.6-38.1)	40.2 (34.5-46.2)	41.7 (28.4-56.4)	-	
QN70: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	4.4 (3.0-6.3)	6.5 (4.1-10.1)	6.7 (2.3-18.1)	-	
QN71: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	20.5 (17.5-23.9)	23.7 (19.0-29.2)	33.0 (21.2-47.5)	-	

*Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[§]Confidence interval.

¹Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions. - = Fewer than 30 students in this subgroup.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Dietary Behaviors	Percentage o				
			stly earned in sch		_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN75: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	51.1 (47.1-55.0)	31.5 (26.2-37.3)	35.3 (23.0-49.8)	-	
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	3.5 (2.3-5.2)	6.3 (4.0-9.8)	8.8 (3.4-20.6)	-	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	1.5 (0.8-2.8)	2.6 (1.3-5.1)	2.2 (0.3-13.0)	-	
QN77: Percentage of students who did not eat breakfast (during the 7 days before the survey)	6.0 (4.4-8.2)	7.8 (5.1-11.7)	4.4 (1.2-15.1)	-	
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	52.4 (48.5-56.4)	43.1 (37.4-49.1)	36.2 (23.8-50.9)	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* **Physical Activity**

	Percentage o ty	_			
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN78: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	52.0 (48.0-55.9)	42.3 (36.5-48.2)	27.1 (16.3-41.5)	-	
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	10.6 (8.5-13.2)	12.0 (8.7-16.4)	20.1 (11.1-33.8)	-	
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	17.8 (15.0-21.0)	20.0 (15.6-25.2)	13.3 (6.3-25.9)	-	
QN79: Percentage of students who watched television 3 or more hours per day (on an average school day)	5.3 (3.8-7.3)	12.5 (9.1-16.9)	11.8 (5.1-25.1)	-	
QN80: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)	31.3 (27.7-35.0)	36.0 (30.5-41.9)	47.6 (33.7-61.8)	-	
QN82: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)	71.8 (68.2-75.2)	61.8 (55.9-67.4)	58.3 (43.9-71.5)	-	

*Non-Hispanic. [†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Physical Activity	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN83: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	8.0 (6.1-10.4)	12.6 (9.1-17.2)	19.8 (10.8-33.6)	-	
QN88: Percentage of students who got 8 or more hours of sleep (on an average school night)	32.0 (28.4-35.8)	26.3 (21.3-31.9)	21.0 (11.4-35.3)	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Other	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN84: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)	12.6 (10.2-15.4)	12.8 (9.3-17.3)	26.3 (15.8-40.5)	-	
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	92.9 (90.6-94.6)	89.6 (85.4-92.7)	81.9 (68.0-90.6)	-	
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	0.0	0.0	0.0	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Site-Added					
	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN90: Percentage of students who who live in District of Columbia wards 1 through 4	64.1 (60.2-67.8)	45.5 (39.8-51.4)	48.0 (34.0-62.4)	-	
QN91: Percentage of students who who live in District of Columbia wards 5 through 8	18.9 (16.0-22.3)	25.3 (20.3-31.1)	26.9 (15.7-42.1)	-	
QN92: Percentage of students who think other people at school would describe them as equally feminine and masculine	4.0 (2.8-5.9)	8.6 (5.8-12.5)	16.2 (8.1-29.8)	-	
QN93: Percentage of students who are transgender	1.4 (0.7-2.7)	2.6 (1.3-5.4)	3.0 (0.4-18.2)	-	
QN94: Percentage of students who rarely or never wore a helmet when they rode a bicycle or used rollerblades or a skateboard (among students who rode a bicycle or used rollerblades or a skateboard during the 12 months before the survey)	34.5 (30.5-38.7)	43.6 (37.1-50.2)	63.9 (47.5-77.5)	-	
QN95: Percentage of students who have been afraid of being beaten up at school one or more times (during the 12 months before the survey)	6.7 (5.0-8.9)	10.3 (7.1-14.6)	17.6 (9.3-31.0)	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN96: Percentage of students who reported that their property had been stolen or deliberately damaged on school property one or more times (such as their car, clothing, or books, during the 12 months before the survey)	15.3 (12.8-18.4)	23.7 (19.0-29.2)	17.6 (9.3-31.0)	-	
QN97: Percentage of students who have been harassed on school property one or more times because someone thought they were gay, lesbian, bisexual, or transgender (during the 12 months before the survey)	7.8 (6.0-10.2)	12.6 (9.1-17.2)	11.0 (4.8-23.2)	-	
QN98: Percentage of students who have been a member of a gang or crew (during the 12 months before the survey)	6.3 (4.6-8.5)	7.0 (4.6-10.6)	22.2 (12.1-37.2)	-	
QN99: Percentage of students who have seen or heard people where they live be violent and abusive (including serious hitting, shouting, throwing items, yelling, or name calling, but not 'play fighting,' during the 12 months before the survey)	20.3 (17.3-23.7)	28.5 (23.5-34.2)	50.5 (36.0-64.8)	-	
QN100: Percentage of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (such things as being told who they could and could not spend time with, being humiliated in front of others, or being threatened if they did not do what they wanted, during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	13.6 (10.4-17.6)	24.0 (17.8-31.5)	-	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Site-Added					
	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who reported someone did sexual things to them that they did not want to do one or more times (by pressuring them, lying to them, making promises about the future, threatening to end their relationship, or threatening to spread rumors about them, during the 12 months before the survey)	7.1 (5.3-9.3)	13.5 (9.9-18.1)	21.2 (11.5-35.6)	-	
QN102: Percentage of students who bullied someone on school property (during the 12 months before the survey)	6.3 (4.6-8.6)	11.1 (7.8-15.6)	13.5 (6.3-26.6)	-	
QN103: Percentage of students who currently used illegal drugs (one or more times during the 30 days before the survey)	21.5 (18.5-24.9)	26.6 (21.8-32.2)	37.5 (24.9-51.9)	-	
QN104: Percentage of students who reported their partners were three or more years older than themselves the last time they had sexual intercourse (among students who have had sexual intercourse)	4.3 (2.0-8.9)	5.9 (2.5-13.0)	-	-	
QN105: Percentage of students who have had oral sex with one or more people during their life	29.1 (25.7-32.8)	39.5 (33.8-45.4)	45.0 (31.2-59.7)	-	
QN106: Percentage of students who have been pregnant or gotten someone pregnant (one or more times)	0.5 (0.2-1.5)	2.6 (1.3-5.2)	4.6 (1.2-15.7)	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Site-Added					
	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who exercised to lose weight or to keep from gaining weight (during the 30 days before the survey)	48.6 (44.7-52.6)	56.2 (50.1-62.0)	54.3 (39.8-68.1)	-	
QN108: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight (also called fasting, during the 30 days before the survey)	4.9 (3.5-6.9)	9.9 (6.9-14.0)	15.4 (7.6-28.5)	-	
QN109: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight (during the 30 days before the survey)	2.4 (1.4-3.9)	5.1 (3.0-8.5)	6.7 (2.2-18.6)	-	
QN110: Percentage of students who ate at a fast food chain or carry out restaurant (at least one day during the 7 days before the survey)	66.2 (62.3-69.8)	73.2 (67.6-78.2)	63.6 (48.9-76.1)	-	
QN111: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	0.5 (0.2-1.4)	1.5 (0.6-3.7)	0.0	-	
QN112: Percentage of students who reported that some of their classroom teachers provide short physical activity breaks during regular class time (not counting their physical education teacher)	12.1 (9.7-15.0)	9.1 (6.2-13.2)	5.1 (1.3-17.8)	-	

*Non-Hispanic. [†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Site-Added	Percentage of students who engaged in each risk behavior, by				
			stly earned in sch		- Significant
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN113: Percentage of students who have been taught about AIDS or HIV infection in school	72.6 (68.9-76.0)	69.4 (63.6-74.6)	86.2 (72.7-93.6)	-	
QN114: Percentage of students who strongly agree or agree that they feel close to people at their school	82.5 (79.3-85.4)	71.5 (65.9-76.6)	68.5 (53.9-80.1)	-	
QN115: Percentage of students who reported that there is at least one teacher or other adult in that school that they can talk to if they have a problem	76.6 (73.1-79.8)	71.7 (66.1-76.7)	70.0 (55.3-81.5)	-	
QN116: Percentage of students who have been removed from class for at least one day for disciplinary reasons (counting time spent in in-school suspension, out-of-school suspension, and expulsion, one or more times during the 12 months before the survey)	5.1 (3.7-7.1)	19.0 (14.7-24.3)	23.4 (13.3-38.0)	-	
QN117: Percentage of students who did not usually sleep in their parent's or guardian's home (during the 30 days before the survey)	0.5 (0.2-1.4)	2.4 (1.1-5.1)	2.2 (0.3-13.0)	-	
QN118: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)	3.7 (2.5-5.5)	5.0 (3.0-8.3)	11.1 (4.8-23.5)	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

District of Columbia (Including Charter Schools) High School Survey

Risk Behaviors and Academic Achievement Report

White* Site-Added	Percentage o				
	ty	ype of grades mo B's	stly earned in sch C's	ool D's/F's	- Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN119: Percentage of students who have ever been given money, a place to stay, food, or something else of value in exchange for sex	2.2 (1.3-3.8)	1.1 (0.4-3.2)	13.2 (6.2-25.8)	-	
QN120: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	40.8 (36.4-45.4)	37.4 (31.1-44.2)	24.2 (12.8-41.0)	-	
QN121: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	30.8 (26.7-35.3)	23.0 (17.9-29.1)	22.5 (11.3-39.7)	-	

*Non-Hispanic. *Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.